

$$NoI = \begin{bmatrix} .1 = \text{arcSin}(-1) & .2 = \text{arcCos}(1) & .3 = \text{arcCos}\left(\frac{1}{2}\right) \\ .4 = \text{arcCos}(-7) & .5 = \text{arcCos}\left(-\frac{\sqrt{3}}{2}\right) & .6 = \text{arcSin}\left(-\frac{\sqrt{2}}{2}\right) \\ .7 = \text{arcTan}(0) & .8 = \text{arcTan}(-1) & .9 = \text{arcSin}\left(\frac{\sqrt{3}}{2}\right) \end{bmatrix}, \quad \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No2 = \left[\begin{array}{ccc} .1 = \cos\left(\arccos\left(\frac{1}{2}\right)\right) & .2 = \tan\left(\arccos\left(-\frac{\sqrt{3}}{2}\right)\right) & .3 = \sin\left(\arccos\left(\frac{-1}{2}\right)\right) \\ .4 = \cos\left(\arcsin\left(\frac{1}{2}\right)\right) & .5 = \arccos\left(\cos\left(\frac{3\pi}{4}\right)\right) & .6 = \arcsin\left(\cos\left(\frac{2\pi}{3}\right)\right) \\ .7 = \arcsin\left(\sin\left(\frac{7\pi}{6}\right)\right) & .8 = \arccos\left(\cos\left(-\frac{\pi}{4}\right)\right) & .9 = \arctan\left(\tan\left(\frac{5\pi}{6}\right)\right) \\ .10 = \csc\left(\arcsin\left(\frac{\sqrt{2}}{2}\right)\right) & .11 = \sec\left(\arcsin\left(\cos\left(\frac{10\pi}{3}\right)\right)\right) & .12 = \arcsin\left(\cos\left(\arcsin\left(\frac{-1}{2}\right)\right)\right) \end{array} \right],$$

$$No3 = \begin{bmatrix} .1 = \cos\left(\arcsin\left(\frac{4}{9}\right)\right) & .2 = \sin\left(\arccos\left(\frac{\sqrt{2}}{3}\right)\right) & .3 = \sin\left(\arctan\left(\frac{-2}{3}\right)\right) \\ .4 = \tan\left(\arccos\left(\frac{3}{4}\right)\right) & .5 = \tan\left(\arcsin\left(\frac{-1}{6}\right)\right) & .6 = \cot\left(\arccos\left(\frac{-2}{7}\right)\right) \\ .7 = \sec\left(\arcsin\left(\frac{\sqrt{2}}{5}\right)\right) & .8 = \cos\left(\arctan\left(\frac{7}{5}\right)\right) & .9 = \csc\left(\arctan\left(-\frac{\sqrt{3}}{2}\right)\right) \end{bmatrix},$$

$$No4 = \left[\begin{array}{cc} .1 = \sin\left(\arccos\left(\frac{5}{7}\right) + \arcsin\left(\frac{-2}{5}\right)\right) & .2 = \cos\left(\arccos\left(\frac{5}{6}\right) + \arcsin\left(\frac{1}{2}\right)\right) \\ .3 = \sin\left(2 \arccos\left(\frac{3}{5}\right)\right) & .4 = \cos\left(2 \arcsin\left(\frac{4}{5}\right)\right) \\ .5 = \arctan\left(\cos\left(\frac{3 \pi}{2}\right) + \sin\left(-\frac{5 \pi}{2}\right)\right) & .6 = \cot\left(\arccos\left(\sin\left(-\frac{7 \pi}{6}\right)\right) + \arcsin\left(\cos\left(\frac{4 \pi}{3}\right)\right)\right) \end{array} \right],$$

$$No5 = \sin(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arccos(\alpha)), \quad , \quad \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$Nol = \begin{bmatrix} .1 = \arccos(0) & .2 = \arcsin(-2) & .3 = \arcsin(1) \\ .4 = \arctan(0) & .5 = \arcsin\left(\frac{\sqrt{3}}{2}\right) & .6 = \arctan(-\sqrt{3}) \\ .7 = \arcsin\left(-\frac{\sqrt{3}}{2}\right) & .8 = \arccos\left(-\frac{\sqrt{2}}{2}\right) & .9 = \arccos\left(\frac{\sqrt{2}}{2}\right) \end{bmatrix},$$

$$No2 = \left[\begin{array}{ccc} .1 = \sin\left(\arcsin\left(-\frac{\sqrt{3}}{2}\right)\right) & .2 = \cos\left(\arcsin\left(\frac{1}{2}\right)\right) & .3 = \sin\left(\arctan\left(\frac{\sqrt{3}}{3}\right)\right) \\ .4 = \tan\left(\arccos\left(\frac{1}{2}\right)\right) & .5 = \arcsin\left(\sin\left(-\frac{\pi}{4}\right)\right) & .6 = \arccos\left(\sin\left(\frac{\pi}{3}\right)\right) \\ .7 = \arcsin\left(\sin\left(\frac{17\pi}{6}\right)\right) & .8 = \arccos\left(\cos\left(-\frac{2\pi}{3}\right)\right) & .9 = \arctan\left(\tan\left(\frac{5\pi}{6}\right)\right) \\ .10 = \sec(\arctan(\sqrt{3})) & .11 = \tan\left(\arcsin\left(\cos\left(\frac{13\pi}{3}\right)\right)\right) & .12 = \arcsin\left(\cos\left(\arcsin\left(\frac{\sqrt{3}}{2}\right)\right)\right) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ / \end{array} \right]$$

$$No3 = \begin{bmatrix} .1 = \sec\left(\arctan\left(-\frac{\sqrt{5}}{3}\right)\right) & .2 = \csc\left(\arccos\left(\frac{\sqrt{5}}{7}\right)\right) & .3 = \cos(\arctan(-3)) \\ .4 = \sin\left(\arccos\left(\frac{-5}{9}\right)\right) & .5 = \sin\left(\arctan\left(\frac{4}{7}\right)\right) & .6 = \cos\left(\arcsin\left(-\frac{\sqrt{5}}{9}\right)\right) \\ .7 = \tan\left(\arccos\left(\frac{2}{5}\right)\right) & .8 = \cot\left(\arcsin\left(\frac{-5}{6}\right)\right) & .9 = \tan\left(\arcsin\left(\frac{5}{9}\right)\right) \end{bmatrix},$$

$$No4 = \left[\begin{array}{cc} .1 = \sin\left(\arccos\left(\frac{4}{9}\right) + \arcsin\left(\frac{2}{7}\right)\right) & .2 = \cos\left(\arccos\left(\frac{1}{3}\right) + \arcsin\left(\frac{-2}{7}\right)\right) \\ .3 = \sin\left(2 \arcsin\left(\frac{2}{5}\right)\right) & .4 = \cos\left(2 \arccos\left(\frac{1}{2}\right)\right) \\ .5 = \arctan\left(\cos(3\pi) + \sin\left(\frac{13\pi}{2}\right)\right) & .6 = \cot\left(\arccos\left(\sin\left(-\frac{17\pi}{6}\right)\right) + \arcsin\left(\cos\left(\frac{11\pi}{3}\right)\right)\right) \end{array} \right],$$

$$No5 = \sin(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$NoI = \begin{bmatrix} .1 = \arcsin\left(-\frac{\sqrt{2}}{2}\right) & .2 = \arccos(-7) & .3 = \arccos\left(\frac{-1}{2}\right) \\ .4 = \arctan\left(-\frac{\sqrt{3}}{3}\right) & .5 = \arcsin\left(\frac{\sqrt{2}}{2}\right) & .6 = \arccos(0) \\ .7 = \arccos\left(\frac{\sqrt{3}}{2}\right) & .8 = \arcsin(-1) & .9 = \arctan(1) \end{bmatrix}, \quad \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No2 = \left[\begin{array}{lll} .1 = \tan\left(\arctan\left(\frac{\sqrt{3}}{3}\right)\right) & .2 = \tan\left(\arccos\left(-\frac{\sqrt{2}}{2}\right)\right) & .3 = \cos\left(\arcsin\left(\frac{-1}{2}\right)\right) \\ .4 = \sin(\arctan(-1)) & .5 = \arctan\left(\tan\left(\frac{\pi}{4}\right)\right) & .6 = \arccos\left(\sin\left(-\frac{\pi}{3}\right)\right) \\ .7 = \arcsin\left(\sin\left(\frac{5\pi}{6}\right)\right) & .8 = \arccos\left(\cos\left(-\frac{\pi}{6}\right)\right) & .9 = \arctan\left(\tan\left(-\frac{7\pi}{6}\right)\right) \\ .10 = \csc\left(\arccos\left(\frac{1}{2}\right)\right) & .11 = \cot\left(\arcsin\left(\cos\left(-\frac{3\pi}{4}\right)\right)\right) & .12 = \arccos\left(\sin\left(\arccos\left(-\frac{\sqrt{3}}{2}\right)\right)\right) \end{array} \right],$$

$$No3 = \begin{bmatrix} .1 = \text{Csc}\left(\text{arcTan}\left(\frac{-6}{5}\right)\right) & .2 = \text{Sec}\left(\text{arcSin}\left(\frac{1}{4}\right)\right) & .3 = \text{Cot}\left(\text{arcCos}\left(\frac{-2}{5}\right)\right) \\ .4 = \text{Cos}\left(\text{arcSin}\left(\frac{\sqrt{5}}{8}\right)\right) & .5 = \text{Tan}\left(\text{arcSin}\left(\frac{-4}{9}\right)\right) & .6 = \text{Sin}\left(\text{arcTan}\left(-\frac{\sqrt{3}}{2}\right)\right) \\ .7 = \text{Tan}\left(\text{arcCos}\left(\frac{\sqrt{5}}{7}\right)\right) & .8 = \text{Sin}\left(\text{arcCos}\left(\frac{3}{8}\right)\right) & .9 = \text{Cos}\left(\text{arcTan}\left(\frac{6}{5}\right)\right) \end{bmatrix},$$

$$No4 = \begin{bmatrix} .1 = \sin\left(\arccos\left(\frac{5}{6}\right) + \arcsin\left(\frac{-1}{3}\right)\right) & .2 = \cos\left(\arccos\left(\frac{1}{2}\right) + \arcsin\left(\frac{3}{4}\right)\right) \\ .3 = \sin\left(2 \arcsin\left(\frac{1}{3}\right)\right) & .4 = \cos\left(2 \arccos\left(\frac{5}{6}\right)\right) \\ .5 = \arctan\left(\cos\left(\frac{9\pi}{2}\right) + \sin\left(\frac{\pi}{2}\right)\right) & .6 = \csc\left(\arccos\left(\sin\left(\frac{13\pi}{6}\right)\right) + \arcsin\left(\cos\left(\frac{10\pi}{3}\right)\right)\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ / \end{bmatrix}$$

$$No5 = \sin(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arccos(\alpha)), \quad , \quad \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$NoI = \begin{bmatrix} .1 = \arcsin(1) & .2 = \arcsin\left(\frac{\sqrt{3}}{2}\right) & .3 = \arccos(-2) \\ .4 = \arcsin\left(-\frac{\sqrt{3}}{2}\right) & .5 = \arctan(-\sqrt{3}) & .6 = \arctan(0) \\ .7 = \arccos(0) & .8 = \arccos\left(\frac{\sqrt{2}}{2}\right) & .9 = \arccos\left(\frac{-1}{2}\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No2 = \left[\begin{array}{ccc} .1 = \text{Sin}\left(\text{arcSin}\left(-\frac{\sqrt{2}}{2}\right)\right) & .2 = \text{Sin}(\text{arcTan}(-\sqrt{3})) & .3 = \text{Cos}\left(\text{arcSin}\left(\frac{1}{2}\right)\right) \\ .4 = \text{Tan}\left(\text{arcCos}\left(-\frac{\sqrt{3}}{2}\right)\right) & .5 = \text{arcTan}\left(\text{Tan}\left(\frac{\pi}{6}\right)\right) & .6 = \text{arcCos}\left(\text{Sin}\left(-\frac{\pi}{4}\right)\right) \\ .7 = \text{arcSin}\left(\text{Sin}\left(-\frac{17\pi}{6}\right)\right) & .8 = \text{arcCos}\left(\text{Cos}\left(\frac{4\pi}{3}\right)\right) & .9 = \text{arcTan}\left(\text{Tan}\left(\frac{17\pi}{6}\right)\right) \\ .10 = \text{Cot}(\text{arcTan}(\sqrt{3})) & .11 = \text{Sec}\left(\text{arcSin}\left(\text{Cos}\left(\frac{5\pi}{3}\right)\right)\right) & .12 = \text{ArcSin}\left(\text{Cos}\left(\text{ArcSin}\left(-\frac{\sqrt{3}}{2}\right)\right)\right) \end{array} \right], \left[\begin{array}{c} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{array} \right]$$

$$No3 = \begin{bmatrix} .1 = \tan\left(\arcsin\left(\frac{\sqrt{2}}{3}\right)\right) & .2 = \cos\left(\arcsin\left(\frac{-2}{7}\right)\right) & .3 = \sec\left(\arcsin\left(\frac{1}{3}\right)\right) \\ .4 = \cot\left(\arctan\left(-\frac{\sqrt{7}}{4}\right)\right) & .5 = \csc\left(\arccos\left(-\frac{\sqrt{2}}{7}\right)\right) & .6 = \sin(\arctan(-7)) \\ .7 = \cos(\arctan(5)) & .8 = \tan\left(\arccos\left(\frac{-2}{7}\right)\right) & .9 = \sin\left(\arccos\left(\frac{2}{3}\right)\right) \end{bmatrix},$$

$$No4 = \left[\begin{array}{ll} .1 = \sin\left(\arccos\left(\frac{1}{2}\right) + \arcsin\left(\frac{1}{5}\right)\right) & .2 = \cos\left(\arccos\left(\frac{1}{2}\right) + \arcsin\left(\frac{-1}{3}\right)\right) \\ .3 = \sin\left(2 \arcsin\left(\frac{1}{4}\right)\right) & .4 = \cos\left(2 \arccos\left(\frac{1}{2}\right)\right) \\ .5 = \arctan\left(\cos\left(\frac{3 \pi}{2}\right) + \sin\left(\frac{7 \pi}{2}\right)\right) & .6 = \csc\left(\arccos\left(\sin\left(-\frac{11 \pi}{6}\right) + \arcsin\left(\cos\left(-\frac{2 \pi}{3}\right)\right)\right)\right) \end{array} \right],$$

$$No5 = \sin(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$NoI = \begin{bmatrix} .1 = \arccos\left(-\frac{\sqrt{3}}{2}\right) & .2 = \arccos(-1) & .3 = \arccos\left(\frac{\sqrt{2}}{2}\right) \\ .4 = \arcsin(1) & .5 = \arctan(0) & .6 = \arcsin\left(\frac{-1}{2}\right) \\ .7 = \arctan\left(\frac{\sqrt{3}}{3}\right) & .8 = \arcsin\left(\frac{\sqrt{3}}{2}\right) & .9 = \arcsin(-5) \end{bmatrix}, \quad \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No2 = \begin{bmatrix} .1 = \text{Tan}(\text{arcTan}(\sqrt{3})) & .2 = \text{Sin}(\text{arcTan}(1)) & .3 = \text{Tan}\left(\text{arcSin}\left(\frac{\sqrt{2}}{2}\right)\right) \\ .4 = \text{Cos}\left(\text{arcSin}\left(\frac{\sqrt{3}}{2}\right)\right) & .5 = \text{arcCos}\left(\text{Cos}\left(\frac{5\pi}{6}\right)\right) & .6 = \text{arcCos}\left(\text{Sin}\left(\frac{\pi}{6}\right)\right) \\ .7 = \text{arcSin}\left(\text{Sin}\left(\frac{11\pi}{6}\right)\right) & .8 = \text{arcCos}\left(\text{Cos}\left(\frac{7\pi}{3}\right)\right) & .9 = \text{arcTan}\left(\text{Tan}\left(-\frac{17\pi}{6}\right)\right) \\ .10 = \text{Sec}(\text{arcTan}(-1)) & .11 = \text{Sec}\left(\text{arcSin}\left(\text{Cos}\left(-\frac{\pi}{3}\right)\right)\right) & .12 = \text{ArcCos}\left(\text{Sin}\left(\text{ArcCos}\left(\frac{1}{2}\right)\right)\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No3 = \begin{bmatrix} .1 = \text{Sin}(\text{arcTan}(-3)) & .2 = \text{Csc}\left(\text{arcCos}\left(\frac{-4}{9}\right)\right) & .3 = \text{Tan}\left(\text{arcSin}\left(\frac{-1}{2}\right)\right) \\ .4 = \text{Sec}\left(\text{arcSin}\left(\frac{\sqrt{5}}{8}\right)\right) & .5 = \text{Sin}\left(\text{arcCos}\left(\frac{\sqrt{2}}{3}\right)\right) & .6 = \text{Cot}\left(\text{arcTan}\left(\frac{\sqrt{7}}{2}\right)\right) \\ .7 = \text{Cos}\left(\text{arcSin}\left(\frac{1}{4}\right)\right) & .8 = \text{Tan}\left(\text{arcCos}\left(\frac{4}{9}\right)\right) & .9 = \text{Cos}\left(\text{arcTan}\left(\frac{3}{5}\right)\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No4 = \left[\begin{array}{cc} .1 = \sin\left(\arccos\left(\frac{5}{6}\right) + \arcsin\left(\frac{-4}{5}\right)\right) & .2 = \cos\left(\arccos\left(\frac{1}{6}\right) + \arcsin\left(\frac{1}{3}\right)\right) \\ .3 = \sin\left(2 \arcsin\left(\frac{1}{2}\right)\right) & .4 = \cos\left(2 \arccos\left(\frac{1}{6}\right)\right) \\ .5 = \arctan\left(\cos(2 \pi) + \sin\left(\frac{15 \pi}{2}\right)\right) & .6 = \sec\left(\arccos\left(\sin\left(-\frac{7 \pi}{6}\right)\right) + \arcsin\left(\cos\left(-\frac{2 \pi}{3}\right)\right)\right) \end{array} \right],$$

$$No5 = \sin(2 \arccos(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \text{ arcCos}(\alpha)), \quad , \quad \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$NoI = \begin{bmatrix} .1 = \arcsin\left(\frac{1}{2}\right) & .2 = \arctan(0) & .3 = \arccos\left(\frac{\sqrt{3}}{2}\right) \\ .4 = \arccos(0) & .5 = \arcsin(1) & .6 = \arccos\left(-\frac{\sqrt{2}}{2}\right) \\ .7 = \arctan(-1) & .8 = \arcsin\left(-\frac{\sqrt{3}}{2}\right) & .9 = \arccos(-2) \end{bmatrix},$$

$$No2 = \left[\begin{array}{ccc} .1 = \tan(\arctan(-1)) & .2 = \cos\left(\arcsin\left(\frac{1}{2}\right)\right) & .3 = \sin\left(\arccos\left(-\frac{\sqrt{3}}{2}\right)\right) \\ .4 = \tan\left(\arccos\left(\frac{1}{2}\right)\right) & .5 = \arctan\left(\tan\left(-\frac{\pi}{6}\right)\right) & .6 = \arccos\left(\sin\left(-\frac{\pi}{6}\right)\right) \\ .7 = \arcsin\left(\sin\left(-\frac{17\pi}{6}\right)\right) & .8 = \arccos\left(\cos\left(-\frac{5\pi}{6}\right)\right) & .9 = \arctan\left(\tan\left(\frac{17\pi}{6}\right)\right) \\ .10 = \sec\left(\arccos\left(\frac{-1}{2}\right)\right) & .11 = \cot\left(\arcsin\left(\cos\left(\frac{10\pi}{3}\right)\right)\right) & .12 = \arcsin\left(\cos\left(\arcsin\left(\frac{\sqrt{3}}{2}\right)\right)\right) \end{array} \right], \quad \begin{array}{c} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{array}$$

$$No3 = \begin{bmatrix} .1 = \tan\left(\arcsin\left(\frac{\sqrt{3}}{5}\right)\right) & .2 = \cot\left(\arccos\left(-\frac{\sqrt{3}}{4}\right)\right) & .3 = \csc\left(\arcsin\left(\frac{-5}{6}\right)\right) \\ .4 = \cos\left(\arctan\left(\frac{7}{5}\right)\right) & .5 = \sec\left(\arctan\left(\frac{\sqrt{2}}{5}\right)\right) & .6 = \cos\left(\arcsin\left(\frac{3}{7}\right)\right) \\ .7 = \sin\left(\arccos\left(\frac{-5}{9}\right)\right) & .8 = \tan\left(\arccos\left(\frac{4}{9}\right)\right) & .9 = \sin\left(\arctan\left(\frac{-7}{4}\right)\right) \end{bmatrix},$$

$$No4 = \left[\begin{array}{ll} .1 = \sin\left(\arccos\left(\frac{1}{2}\right) + \arcsin\left(\frac{1}{5}\right)\right) & .2 = \cos\left(\arccos\left(\frac{1}{2}\right) + \arcsin\left(\frac{-3}{4}\right)\right) \\ .3 = \sin\left(2 \arccos\left(\frac{1}{2}\right)\right) & .4 = \cos\left(2 \arccos\left(\frac{2}{3}\right)\right) \\ .5 = \arctan\left(\cos(6 \pi) + \sin\left(\frac{23 \pi}{2}\right)\right) & .6 = \cot\left(\arccos\left(\sin\left(\frac{11 \pi}{6}\right)\right) + \arcsin\left(\cos\left(\frac{5 \pi}{3}\right)\right)\right) \end{array} \right],$$

$$No5 = \sin(2 \arccos(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$Nol = \begin{bmatrix} .1 = \text{arcSin}(-5) & .2 = \text{arcTan}(\sqrt{3}) & .3 = \text{arcTan}(0) \\ .4 = \text{arcCos}(0) & .5 = \text{arcSin}\left(\frac{\sqrt{3}}{2}\right) & .6 = \text{arcCos}\left(-\frac{\sqrt{3}}{2}\right) \\ .7 = \text{arcSin}(1) & .8 = \text{arcSin}\left(-\frac{\sqrt{2}}{2}\right) & .9 = \text{arcCos}\left(\frac{1}{2}\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No2 = \left[\begin{array}{lll} .1 = \text{Tan}(\text{arcTan}(-1)) & .2 = \text{Cos}\left(\text{arcSin}\left(-\frac{\sqrt{2}}{2}\right)\right) & .3 = \text{Sin}\left(\text{arcTan}\left(-\frac{\sqrt{3}}{3}\right)\right) \\ .4 = \text{Tan}\left(\text{arcCos}\left(-\frac{\sqrt{2}}{2}\right)\right) & .5 = \text{arcCos}\left(\text{Cos}\left(\frac{3\pi}{4}\right)\right) & .6 = \text{arcCos}\left(\text{Sin}\left(\frac{\pi}{6}\right)\right) \\ .7 = \text{arcSin}\left(\text{Sin}\left(-\frac{13\pi}{6}\right)\right) & .8 = \text{arcCos}\left(\text{Cos}\left(-\frac{5\pi}{6}\right)\right) & .9 = \text{arcTan}\left(\text{Tan}\left(-\frac{11\pi}{6}\right)\right) \\ .10 = \text{Sec}(\text{arcTan}(\sqrt{3})) & .11 = \text{Sec}\left(\text{arcSin}\left(\text{Cos}\left(-\frac{\pi}{3}\right)\right)\right) & .12 = \text{ArcCos}\left(\text{Sin}\left(\text{ArcCos}\left(-\frac{\sqrt{3}}{2}\right)\right)\right) \end{array} \right],$$

$$No3 = \begin{bmatrix} .1 = \text{Csc}\left(\text{arcTan}\left(-\frac{\sqrt{3}}{2}\right)\right) & .2 = \text{Cos}\left(\text{arcTan}\left(\frac{-5}{6}\right)\right) & .3 = \text{Cot}\left(\text{arcSin}\left(\frac{3}{5}\right)\right) \\ .4 = \text{Sin}\left(\text{arcTan}\left(\frac{5}{3}\right)\right) & .5 = \text{Sin}\left(\text{arcCos}\left(\frac{-5}{9}\right)\right) & .6 = \text{Tan}\left(\text{arcSin}\left(-\frac{\sqrt{5}}{9}\right)\right) \\ .7 = \text{Sec}\left(\text{arcCos}\left(\frac{5}{9}\right)\right) & .8 = \text{Cos}\left(\text{arcSin}\left(\frac{-2}{5}\right)\right) & .9 = \text{Tan}\left(\text{arcCos}\left(\frac{\sqrt{2}}{3}\right)\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No4 = \begin{bmatrix} .1 = \sin\left(\arccos\left(\frac{4}{5}\right) + \arcsin\left(\frac{-1}{2}\right)\right) & .2 = \cos\left(\arccos\left(\frac{3}{8}\right) + \arcsin\left(\frac{1}{5}\right)\right) \\ .3 = \sin\left(2 \arcsin\left(\frac{5}{7}\right)\right) & .4 = \cos\left(2 \arccos\left(\frac{2}{7}\right)\right) \\ .5 = \arctan\left(\cos(9\pi) + \sin\left(\frac{5\pi}{2}\right)\right) & .6 = \cot\left(\arccos\left(\sin\left(\frac{13\pi}{6}\right)\right) + \arcsin\left(\cos\left(-\frac{\pi}{6}\right)\right)\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ / \end{bmatrix}$$

$$No5 = \text{Sin}(2 \text{ arcCos}(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arcsin(\alpha)), \quad , \quad \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$Nol = \begin{bmatrix} .1 = \arccos(-1) & .2 = \arcsin(1) & .3 = \arctan(0) \\ .4 = \arcsin\left(\frac{1}{2}\right) & .5 = \arctan(-\sqrt{3}) & .6 = \arccos(5) \\ .7 = \arccos\left(-\frac{\sqrt{2}}{2}\right) & .8 = \arccos\left(\frac{\sqrt{3}}{2}\right) & .9 = \arcsin\left(-\frac{\sqrt{3}}{2}\right) \end{bmatrix},$$

$$No2 = \left[\begin{array}{lll} .1 = \text{Tan}(\text{arcTan}(\sqrt{3})) & .2 = \text{Cos}(\text{arcTan}(-1)) & .3 = \text{Sin}(\text{arcTan}(-\sqrt{3})) \\ .4 = \text{Tan}\left(\text{arcSin}\left(\frac{\sqrt{2}}{2}\right)\right) & .5 = \text{arcTan}\left(\text{Tan}\left(\frac{\pi}{3}\right)\right) & .6 = \text{arcCos}\left(\text{Sin}\left(-\frac{\pi}{6}\right)\right) \\ .7 = \text{arcSin}\left(\text{Sin}\left(\frac{11\pi}{6}\right)\right) & .8 = \text{arcCos}\left(\text{Cos}\left(-\frac{5\pi}{6}\right)\right) & .9 = \text{arcTan}\left(\text{Tan}\left(-\frac{17\pi}{6}\right)\right) \\ .10 = \text{Sec}\left(\text{arcCos}\left(-\frac{\sqrt{3}}{2}\right)\right) & .11 = \text{Csc}\left(\text{arcCos}\left(\text{Sin}\left(-\frac{5\pi}{6}\right)\right)\right) & .12 = \text{ArcSin}\left(\text{Cos}\left(\text{ArcSin}\left(\frac{\sqrt{3}}{2}\right)\right)\right) \end{array} \right],$$

$$No3 = \begin{bmatrix} .1 = \text{Csc}\left(\arccos\left(\frac{-5}{8}\right)\right) & .2 = \text{Tan}\left(\arccos\left(-\frac{\sqrt{6}}{11}\right)\right) & .3 = \text{Cos}\left(\arcsin\left(\frac{3}{8}\right)\right) \\ .4 = \text{Sin}\left(\arctan\left(\frac{-5}{3}\right)\right) & .5 = \text{Cos}\left(\arctan\left(-\frac{\sqrt{5}}{6}\right)\right) & .6 = \text{Sec}(\arctan(4)) \\ .7 = \text{Sin}\left(\arccos\left(\frac{1}{6}\right)\right) & .8 = \text{Tan}\left(\arcsin\left(\frac{\sqrt{6}}{11}\right)\right) & .9 = \text{Cot}\left(\arcsin\left(\frac{-5}{6}\right)\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ / \end{bmatrix}$$

$$No4 = \begin{bmatrix} .1 = \sin\left(\arccos\left(\frac{5}{7}\right) + \arcsin\left(\frac{4}{7}\right)\right) & .2 = \cos\left(\arccos\left(\frac{1}{3}\right) + \arcsin\left(\frac{-2}{3}\right)\right) \\ .3 = \sin\left(2 \arccos\left(\frac{1}{2}\right)\right) & .4 = \cos\left(2 \arcsin\left(\frac{3}{8}\right)\right) \\ .5 = \arctan\left(\cos\left(\frac{3\pi}{2}\right) + \sin\left(\frac{3\pi}{2}\right)\right) & .6 = \cot\left(\arccos\left(\sin\left(\frac{17\pi}{6}\right)\right) + \arcsin\left(\cos\left(-\frac{\pi}{6}\right)\right)\right) \end{bmatrix}, \begin{bmatrix} M \\ t \\ h \\ @ \\ M \\ U \\ T \\ / \end{bmatrix}$$

$$No5 = \sin(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arccos(\alpha)), \quad , \quad \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$NoI = \begin{bmatrix} .1 = \arcsin\left(\frac{\sqrt{3}}{2}\right) & .2 = \arcsin\left(\frac{-1}{2}\right) & .3 = \arcsin(0) \\ .4 = \arccos(3) & .5 = \arccos\left(-\frac{\sqrt{2}}{2}\right) & .6 = \arccos\left(\frac{\sqrt{2}}{2}\right) \\ .7 = \arccos(1) & .8 = \arctan(-1) & .9 = \arctan(0) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No2 = \left[\begin{array}{lll} .1 = \text{Sin}\left(\text{arcSin}\left(\frac{1}{2}\right)\right) & .2 = \text{Cos}(\text{arcTan}(-1)) & .3 = \text{Sin}(\text{arcTan}(-\sqrt{3})) \\ .4 = \text{Tan}\left(\text{arcSin}\left(\frac{-1}{2}\right)\right) & .5 = \text{arcCos}\left(\text{Cos}\left(\frac{5\pi}{6}\right)\right) & .6 = \text{arcCos}\left(\text{Sin}\left(\frac{\pi}{6}\right)\right) \\ .7 = \text{arcSin}\left(\text{Sin}\left(\frac{13\pi}{6}\right)\right) & .8 = \text{arcCos}\left(\text{Cos}\left(\frac{7\pi}{3}\right)\right) & .9 = \text{arcTan}\left(\text{Tan}\left(\frac{11\pi}{6}\right)\right) \\ .10 = \text{Csc}\left(\text{arcSin}\left(\frac{\sqrt{3}}{2}\right)\right) & .11 = \text{Cot}\left(\text{arcSin}\left(\text{Cos}\left(-\frac{\pi}{3}\right)\right)\right) & .12 = \text{ArcCos}\left(\text{Sin}\left(\text{ArcCos}\left(\frac{\sqrt{2}}{2}\right)\right)\right) \end{array} \right],$$

$$No3 = \begin{bmatrix} .1 = \cos\left(\arctan\left(\frac{\sqrt{7}}{3}\right)\right) & .2 = \cot\left(\arcsin\left(\frac{5}{9}\right)\right) & .3 = \tan\left(\arccos\left(\frac{1}{3}\right)\right) \\ .4 = \csc\left(\arccos\left(\frac{\sqrt{6}}{11}\right)\right) & .5 = \sin(\arctan(5)) & .6 = \tan\left(\arcsin\left(\frac{-5}{9}\right)\right) \\ .7 = \sec\left(\arctan\left(\frac{-1}{6}\right)\right) & .8 = \sin\left(\arccos\left(\frac{-3}{5}\right)\right) & .9 = \cos\left(\arcsin\left(-\frac{\sqrt{3}}{7}\right)\right) \end{bmatrix},$$

$$No4 = \begin{bmatrix} .1 = \sin\left(\arccos\left(\frac{4}{9}\right) + \arcsin\left(\frac{-4}{5}\right)\right) & .2 = \cos\left(\arccos\left(\frac{3}{7}\right) + \arcsin\left(\frac{1}{2}\right)\right) \\ .3 = \sin\left(2 \arccos\left(\frac{4}{9}\right)\right) & .4 = \cos\left(2 \arcsin\left(\frac{5}{6}\right)\right) \\ .5 = \arctan\left(\cos(6 \pi) + \sin\left(\frac{23 \pi}{2}\right)\right) & .6 = \sec\left(\arccos\left(\sin\left(-\frac{13 \pi}{6}\right)\right) + \arcsin\left(\cos\left(-\frac{5 \pi}{6}\right)\right)\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ / \end{bmatrix}$$

$$No5 = \sin(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arccos(\alpha)), \quad , \quad \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$NoI = \begin{bmatrix} .1 = \arcsin\left(\frac{1}{2}\right) & .2 = \arcsin(1) & .3 = \arccos\left(\frac{\sqrt{3}}{2}\right) \\ .4 = \arcsin\left(\frac{-1}{2}\right) & .5 = \arccos(-1) & .6 = \arcsin(-5) \\ .7 = \arctan(\sqrt{3}) & .8 = \arccos\left(-\frac{\sqrt{3}}{2}\right) & .9 = \arctan\left(-\frac{\sqrt{3}}{3}\right) \end{bmatrix}, \quad \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No2 = \begin{bmatrix} .1 = \tan\left(\arctan\left(\frac{\sqrt{3}}{3}\right)\right) & .2 = \sin(\arctan(-\sqrt{3})) & .3 = \tan\left(\arccos\left(-\frac{\sqrt{2}}{2}\right)\right) \\ .4 = \cos\left(\arcsin\left(\frac{\sqrt{3}}{2}\right)\right) & .5 = \arccos\left(\cos\left(\frac{\pi}{3}\right)\right) & .6 = \arccos\left(\sin\left(-\frac{\pi}{3}\right)\right) \\ .7 = \arcsin\left(\sin\left(-\frac{11\pi}{6}\right)\right) & .8 = \arccos\left(\cos\left(\frac{4\pi}{3}\right)\right) & .9 = \arctan\left(\tan\left(-\frac{13\pi}{6}\right)\right) \\ .10 = \cot\left(\arccos\left(\frac{\sqrt{2}}{2}\right)\right) & .11 = \csc\left(\arccos\left(\sin\left(\frac{17\pi}{6}\right)\right)\right) & .12 = \arcsin\left(\cos\left(\arcsin\left(-\frac{\sqrt{2}}{2}\right)\right)\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No3 = \begin{bmatrix} .1 = \text{Cot}\left(\text{arcSin}\left(\frac{\sqrt{3}}{5}\right)\right) & .2 = \text{Sin}\left(\text{arcTan}\left(\frac{-5}{6}\right)\right) & .3 = \text{Sec}\left(\text{arcCos}\left(-\frac{\sqrt{5}}{9}\right)\right) \\ .4 = \text{Cos}\left(\text{arcTan}\left(\frac{5}{3}\right)\right) & .5 = \text{Cos}\left(\text{arcSin}\left(\frac{-2}{5}\right)\right) & .6 = \text{Sin}\left(\text{arcCos}\left(\frac{-2}{3}\right)\right) \\ .7 = \text{Csc}\left(\text{arcTan}\left(\frac{\sqrt{6}}{5}\right)\right) & .8 = \text{Tan}\left(\text{arcCos}\left(\frac{4}{7}\right)\right) & .9 = \text{Tan}\left(\text{arcSin}\left(\frac{3}{5}\right)\right) \end{bmatrix},$$

$$NoA = \left[\begin{array}{cc} .1 = \sin\left(\arccos\left(\frac{1}{3}\right) + \arcsin\left(\frac{-5}{8}\right)\right) & .2 = \cos\left(\arccos\left(\frac{2}{3}\right) + \arcsin\left(\frac{3}{8}\right)\right) \\ .3 = \sin\left(2 \arccos\left(\frac{4}{5}\right)\right) & .4 = \cos\left(2 \arcsin\left(\frac{1}{2}\right)\right) \\ .5 = \arctan(\cos(3\pi) + \sin(2\pi)) & .6 = \sec\left(\arccos\left(\sin\left(-\frac{7\pi}{6}\right)\right) + \arcsin\left(\cos\left(-\frac{2\pi}{3}\right)\right)\right) \end{array} \right],$$

$$No5 = \text{Sin}(2 \text{ arcCos}(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arcsin(\alpha)), \quad , \quad \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$NoI = \begin{bmatrix} .1 = \arccos\left(\frac{-1}{2}\right) & .2 = \arctan(1) & .3 = \arcsin\left(-\frac{\sqrt{3}}{2}\right) \\ .4 = \arctan\left(-\frac{\sqrt{3}}{3}\right) & .5 = \arccos(0) & .6 = \arccos\left(\frac{\sqrt{2}}{2}\right) \\ .7 = \arcsin(1) & .8 = \arccos(7) & .9 = \arcsin\left(\frac{1}{2}\right) \end{bmatrix}, \quad \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No2 = \left[\begin{array}{ccc} .1 = \tan\left(\arctan\left(-\frac{\sqrt{3}}{3}\right)\right) & .2 = \tan\left(\arccos\left(-\frac{\sqrt{2}}{2}\right)\right) & .3 = \cos\left(\arcsin\left(\frac{1}{2}\right)\right) \\ .4 = \sin(\arctan(1)) & .5 = \arctan\left(\tan\left(-\frac{\pi}{6}\right)\right) & .6 = \arccos\left(\sin\left(-\frac{\pi}{6}\right)\right) \\ .7 = \arcsin\left(\sin\left(\frac{17\pi}{6}\right)\right) & .8 = \arccos\left(\cos\left(\frac{10\pi}{3}\right)\right) & .9 = \arctan\left(\tan\left(-\frac{13\pi}{6}\right)\right) \\ .10 = \cot\left(\arcsin\left(\frac{-1}{2}\right)\right) & .11 = \tan\left(\arcsin\left(\cos\left(-\frac{5\pi}{6}\right)\right)\right) & .12 = \arcsin\left(\cos\left(\arcsin\left(\frac{\sqrt{3}}{2}\right)\right)\right) \end{array} \right],$$

$$No3 = \begin{bmatrix} .1 = \cos\left(\arctan\left(\frac{5}{7}\right)\right) & .2 = \sec\left(\arcsin\left(-\frac{\sqrt{3}}{5}\right)\right) & .3 = \cos\left(\arcsin\left(\frac{-2}{5}\right)\right) \\ .4 = \sin\left(\arccos\left(\frac{4}{5}\right)\right) & .5 = \tan\left(\arccos\left(-\frac{\sqrt{3}}{8}\right)\right) & .6 = \tan\left(\arcsin\left(\frac{4}{9}\right)\right) \\ .7 = \csc\left(\arccos\left(\frac{-2}{3}\right)\right) & .8 = \sin\left(\arctan\left(\frac{\sqrt{3}}{7}\right)\right) & .9 = \cot\left(\arctan\left(\frac{-3}{4}\right)\right) \end{bmatrix},$$

$$No4 = \begin{bmatrix} .1 = \sin\left(\arccos\left(\frac{4}{5}\right) + \arcsin\left(\frac{-2}{3}\right)\right) & .2 = \cos\left(\arccos\left(\frac{3}{7}\right) + \arcsin\left(\frac{2}{3}\right)\right) \\ .3 = \sin\left(2 \arcsin\left(\frac{3}{7}\right)\right) & .4 = \cos\left(2 \arcsin\left(\frac{1}{2}\right)\right) \\ .5 = \arctan\left(\cos\left(\frac{7\pi}{2}\right) + \sin\left(\frac{7\pi}{2}\right)\right) & .6 = \csc\left(\arccos\left(\sin\left(-\frac{13\pi}{6}\right)\right) + \arcsin\left(\cos\left(-\frac{\pi}{3}\right)\right)\right) \end{bmatrix},$$

$$No5 = \sin(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$NoI = \begin{bmatrix} .1 = \text{arcCos}(7) & .2 = \text{arcTan}(-\sqrt{3}) & .3 = \text{arcSin}(0) \\ .4 = \text{arcCos}(-1) & .5 = \text{arcSin}\left(\frac{\sqrt{2}}{2}\right) & .6 = \text{arcCos}\left(\frac{1}{2}\right) \\ .7 = \text{arcTan}\left(\frac{\sqrt{3}}{3}\right) & .8 = \text{arcSin}\left(-\frac{\sqrt{2}}{2}\right) & .9 = \text{arcCos}\left(\frac{-1}{2}\right) \end{bmatrix},$$

$$No2 = \left[\begin{array}{ccc} .1 = \cos\left(\arccos\left(-\frac{\sqrt{2}}{2}\right)\right) & .2 = \sin\left(\arccos\left(\frac{-1}{2}\right)\right) & .3 = \cos(\arctan(-1)) \\ .4 = \tan\left(\arcsin\left(-\frac{\sqrt{3}}{2}\right)\right) & .5 = \arccos\left(\cos\left(\frac{\pi}{4}\right)\right) & .6 = \arccos\left(\sin\left(-\frac{\pi}{4}\right)\right) \\ .7 = \arcsin\left(\sin\left(\frac{11\pi}{6}\right)\right) & .8 = \arccos\left(\cos\left(-\frac{\pi}{6}\right)\right) & .9 = \arctan\left(\tan\left(\frac{13\pi}{6}\right)\right) \\ .10 = \cot(\arctan(1)) & .11 = \csc\left(\arccos\left(\sin\left(\frac{13\pi}{6}\right)\right)\right) & .12 = \arcsin\left(\cos\left(\arcsin\left(\frac{1}{2}\right)\right)\right) \end{array} \right],$$

$$No3 = \begin{bmatrix} .1 = \sec\left(\arccos\left(\frac{1}{4}\right)\right) & .2 = \sin\left(\arccos\left(\frac{-1}{6}\right)\right) & .3 = \tan\left(\arcsin\left(\frac{-2}{7}\right)\right) \\ .4 = \cot(\arctan(\sqrt{3})) & .5 = \sin\left(\arctan\left(\frac{-1}{7}\right)\right) & .6 = \cos\left(\arcsin\left(\frac{\sqrt{5}}{8}\right)\right) \\ .7 = \cos(\arctan(3)) & .8 = \tan\left(\arccos\left(-\frac{\sqrt{3}}{4}\right)\right) & .9 = \csc\left(\arcsin\left(\frac{4}{5}\right)\right) \end{bmatrix},$$

$$No4 = \begin{bmatrix} .1 = \sin\left(\arccos\left(\frac{1}{6}\right) + \arcsin\left(\frac{1}{2}\right)\right) & .2 = \cos\left(\arccos\left(\frac{2}{5}\right) + \arcsin\left(\frac{-5}{6}\right)\right) \\ .3 = \sin\left(2 \arccos\left(\frac{2}{5}\right)\right) & .4 = \cos\left(2 \arcsin\left(\frac{5}{9}\right)\right) \\ .5 = \arctan\left(\cos(2\pi) + \sin\left(-\frac{5\pi}{2}\right)\right) & .6 = \csc\left(\arccos\left(\sin\left(\frac{5\pi}{6}\right)\right) + \arcsin\left(\cos\left(\frac{4\pi}{3}\right)\right)\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No5 = \sin(2 \arcsin(\alpha)), \quad \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arccos(\alpha)), \quad , \quad \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$\begin{aligned}
No1 &= \begin{bmatrix} .1 = \arctan(-\sqrt{3}) & .2 = \arccos\left(-\frac{\sqrt{2}}{2}\right) & .3 = \arcsin(0) \\ .4 = \arctan\left(\frac{\sqrt{3}}{3}\right) & .5 = \arccos(1) & .6 = \arcsin\left(\frac{\sqrt{2}}{2}\right) \\ .7 = \arcsin\left(\frac{-1}{2}\right) & .8 = \arccos(2) & .9 = \arccos\left(\frac{1}{2}\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix} \\
No2 &= \begin{bmatrix} .1 = \cos\left(\arccos\left(-\frac{\sqrt{3}}{2}\right)\right) & .2 = \cos(\arctan(\sqrt{3})) & .3 = \sin\left(\arctan\left(\frac{\sqrt{3}}{3}\right)\right) \\ .4 = \tan\left(\arcsin\left(\frac{1}{2}\right)\right) & .5 = \arctan\left(\tan\left(\frac{\pi}{4}\right)\right) & .6 = \arccos\left(\sin\left(-\frac{\pi}{6}\right)\right) \\ .7 = \arcsin\left(\sin\left(-\frac{11\pi}{6}\right)\right) & .8 = \arccos\left(\cos\left(\frac{4\pi}{3}\right)\right) & .9 = \arctan\left(\tan\left(\frac{11\pi}{6}\right)\right) \\ .10 = \sec(\arctan(-\sqrt{3})) & .11 = \sec\left(\arccos\left(\sin\left(-\frac{5\pi}{6}\right)\right)\right) & .12 = \arcsin\left(\cos\left(\arcsin\left(\frac{\sqrt{3}}{2}\right)\right)\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix} \\
No3 &= \begin{bmatrix} .1 = \tan\left(\arcsin\left(\frac{2}{5}\right)\right) & .2 = \sec\left(\arcsin\left(\frac{-4}{9}\right)\right) & .3 = \sin\left(\arccos\left(\frac{-5}{6}\right)\right) \\ .4 = \cos\left(\arctan\left(\frac{-5}{6}\right)\right) & .5 = \tan\left(\arccos\left(\frac{\sqrt{5}}{8}\right)\right) & .6 = \cos\left(\arcsin\left(-\frac{\sqrt{5}}{8}\right)\right) \\ .7 = \csc\left(\arccos\left(\frac{1}{6}\right)\right) & .8 = \sin\left(\arctan\left(-\frac{\sqrt{5}}{3}\right)\right) & .9 = \cot(\arctan(6)) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix} \\
No4 &= \begin{bmatrix} .1 = \sin\left(\arccos\left(\frac{5}{8}\right) + \arcsin\left(\frac{1}{2}\right)\right) & .2 = \cos\left(\arccos\left(\frac{4}{9}\right) + \arcsin\left(\frac{-1}{2}\right)\right) \\ .3 = \sin\left(2 \arccos\left(\frac{3}{5}\right)\right) & .4 = \cos\left(2 \arccos\left(\frac{1}{5}\right)\right) \\ .5 = \arctan(\cos(2\pi) + \sin(-5\pi)) & .6 = \csc\left(\arccos\left(\sin\left(-\frac{7\pi}{6}\right)\right) + \arcsin\left(\cos\left(\frac{10\pi}{3}\right)\right)\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}
\end{aligned}$$

$$No5 = \sin(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arcsin(\alpha)), \quad , \quad \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$NoI = \begin{bmatrix} .1 = \arccos(7) & .2 = \arccos\left(-\frac{\sqrt{3}}{2}\right) & .3 = \arctan(\sqrt{3}) \\ .4 = \arcsin(1) & .5 = \arcsin\left(\frac{-1}{2}\right) & .6 = \arcsin\left(\frac{1}{2}\right) \\ .7 = \arccos\left(\frac{\sqrt{3}}{2}\right) & .8 = \arctan(-1) & .9 = \arccos(-1) \end{bmatrix}, \quad \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No2 = \left[\begin{array}{lll} .1 = \tan(\arctan(1)) & .2 = \sin\left(\arctan\left(-\frac{\sqrt{3}}{3}\right)\right) & .3 = \tan\left(\arcsin\left(\frac{1}{2}\right)\right) \\ .4 = \cos(\arctan(\sqrt{3})) & .5 = \arccos\left(\cos\left(\frac{3\pi}{4}\right)\right) & .6 = \arcsin\left(\cos\left(\frac{\pi}{3}\right)\right) \\ .7 = \arcsin\left(\sin\left(\frac{13\pi}{6}\right)\right) & .8 = \arccos\left(\cos\left(-\frac{\pi}{4}\right)\right) & .9 = \arctan\left(\tan\left(-\frac{11\pi}{6}\right)\right) \\ .10 = \sec\left(\arcsin\left(-\frac{\sqrt{3}}{2}\right)\right) & .11 = \sec\left(\arccos\left(\sin\left(-\frac{11\pi}{6}\right)\right)\right) & .12 = \arccos\left(\sin\left(\arccos\left(-\frac{\sqrt{3}}{2}\right)\right)\right) \end{array} \right],$$

$$No3 = \begin{bmatrix} .1 = \sin\left(\arctan\left(-\frac{\sqrt{5}}{4}\right)\right) & .2 = \cot\left(\arctan\left(\frac{-7}{6}\right)\right) & .3 = \tan\left(\arcsin\left(\frac{-1}{2}\right)\right) \\ .4 = \csc\left(\arcsin\left(\frac{\sqrt{5}}{6}\right)\right) & .5 = \cos\left(\arcsin\left(\frac{4}{9}\right)\right) & .6 = \cos\left(\arctan\left(\frac{6}{5}\right)\right) \\ .7 = \tan\left(\arccos\left(\frac{\sqrt{5}}{6}\right)\right) & .8 = \sin\left(\arccos\left(\frac{3}{7}\right)\right) & .9 = \sec\left(\arccos\left(\frac{-5}{7}\right)\right) \end{bmatrix},$$

$$No4 = \left[\begin{array}{cc} .1 = \sin\left(\arccos\left(\frac{1}{4}\right) + \arcsin\left(\frac{-2}{3}\right)\right) & .2 = \cos\left(\arccos\left(\frac{1}{3}\right) + \arcsin\left(\frac{2}{3}\right)\right) \\ .3 = \sin\left(2 \arcsin\left(\frac{4}{7}\right)\right) & .4 = \cos\left(2 \arccos\left(\frac{4}{5}\right)\right) \\ .5 = \arctan\left(\cos(5\pi) + \sin\left(-\frac{7\pi}{2}\right)\right) & .6 = \csc\left(\arccos\left(\sin\left(\frac{7\pi}{6}\right)\right) + \arcsin\left(\cos\left(\frac{7\pi}{3}\right)\right)\right) \end{array} \right],$$

$$No5 = \sin(2 \arcsin(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arcsin(\alpha)), \quad , \quad \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$NoI = \begin{bmatrix} .1 = \text{arcCos}(0) & .2 = \text{arcSin}(5) & .3 = \text{arcTan}\left(\frac{\sqrt{3}}{3}\right) \\ .4 = \text{arcSin}\left(\frac{-1}{2}\right) & .5 = \text{arcSin}(1) & .6 = \text{arcCos}\left(-\frac{\sqrt{3}}{2}\right) \\ .7 = \text{arcTan}(-\sqrt{3}) & .8 = \text{arcSin}\left(\frac{\sqrt{3}}{2}\right) & .9 = \text{arcCos}\left(\frac{\sqrt{2}}{2}\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ ! \end{bmatrix}$$

$$No2 = \left[\begin{array}{lll} .1 = \sin\left(\arcsin\left(\frac{1}{2}\right)\right) & .2 = \cos\left(\arcsin\left(-\frac{\sqrt{2}}{2}\right)\right) & .3 = \tan\left(\arcsin\left(\frac{-1}{2}\right)\right) \\ .4 = \sin\left(\arccos\left(\frac{-1}{2}\right)\right) & .5 = \arctan\left(\tan\left(\frac{\pi}{6}\right)\right) & .6 = \arccos\left(\sin\left(-\frac{\pi}{3}\right)\right) \\ .7 = \arcsin\left(\sin\left(\frac{17\pi}{6}\right)\right) & .8 = \arccos\left(\cos\left(-\frac{3\pi}{4}\right)\right) & .9 = \arctan\left(\tan\left(\frac{7\pi}{6}\right)\right) \\ .10 = \cot\left(\arcsin\left(\frac{\sqrt{3}}{2}\right)\right) & .11 = \tan\left(\arcsin\left(\cos\left(\frac{7\pi}{3}\right)\right)\right) & .12 = \arcsin\left(\cos\left(\arcsin\left(\frac{\sqrt{2}}{2}\right)\right)\right) \end{array} \right], \quad \begin{array}{l} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \\ / \end{array}$$

$$No3 = \begin{bmatrix} .1 = \sec\left(\arccos\left(-\frac{\sqrt{3}}{4}\right)\right) & .2 = \cos\left(\arcsin\left(\frac{3}{4}\right)\right) & .3 = \tan\left(\arcsin\left(-\frac{\sqrt{5}}{9}\right)\right) \\ .4 = \tan\left(\arccos\left(\frac{3}{7}\right)\right) & .5 = \cot\left(\arctan\left(-\frac{\sqrt{2}}{7}\right)\right) & .6 = \csc\left(\arcsin\left(\frac{-3}{7}\right)\right) \\ .7 = \sin\left(\arctan\left(\frac{1}{5}\right)\right) & .8 = \sin\left(\arccos\left(\frac{-3}{5}\right)\right) & .9 = \cos(\arctan(-6)) \end{bmatrix},$$

$$No4 = \left[\begin{array}{ll} .1 = \sin\left(\arccos\left(\frac{2}{7}\right) + \arcsin\left(\frac{5}{6}\right)\right) & .2 = \cos\left(\arccos\left(\frac{3}{4}\right) + \arcsin\left(\frac{-5}{6}\right)\right) \\ .3 = \sin\left(2 \arcsin\left(\frac{1}{2}\right)\right) & .4 = \cos\left(2 \arccos\left(\frac{4}{5}\right)\right) \\ .5 = \arctan\left(\cos\left(\frac{5\pi}{2}\right) + \sin\left(-\frac{9\pi}{2}\right)\right) & .6 = \csc\left(\arccos\left(\sin\left(\frac{13\pi}{6}\right)\right) + \arcsin\left(\cos\left(-\frac{\pi}{6}\right)\right)\right) \end{array} \right],$$

$$No5 = \sin(2 \arccos(\alpha)), \quad , \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

$$No6 = \text{Cos}(2 \arccos(\alpha)), \quad , \quad \begin{bmatrix} M \\ U \\ T \end{bmatrix}$$

[illegible]