

XX
X Math@MUT XXXM6/1-6300202-00003XX
LimitExercise01 for No.8768

$$NoI = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{-11x + 28 + x^2}{-7 + x}, a = 7 \right]$$

x	6.8000	6.9000	6.9900	6.9990	6.9999	..	a = 7	...	7.0001	7.0010	7.0100	7.1000	7.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{e^x - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x-4}{\sqrt{x-2}}, a=4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	...	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{3x}{x^2 + 3x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No6 = [\alpha = -9, \beta = -4, \gamma = 2, \delta = 3, \varepsilon = 6]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6300202-00004XX
LimitExercise01 for No.8779

$$NoI = \left[f(x) = \frac{x}{e^x - 1}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{36 - x}{\sqrt{x - 6}}, a = 36 \right]$$

x	35.8000	35.9000	35.9900	35.9990	35.9999	..	a = 36	...	36.0001	36.0010	36.0100	36.1000	36.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No3 = \left[f(x) = \frac{-5 + x}{-15 - 2x + x^2}, a = 5 \right]$$

x	4.8000	4.9000	4.9900	4.9990	4.9999	..	a = 5	...	5.0001	5.0010	5.0100	5.1000	5.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x}{\sin(x)}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{x^2 + x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No6 = [\alpha = 0, \beta = 1, \gamma = 2, \delta = 4, \varepsilon = 8]$$

[illegible]

• • • • •

XX
X Math@MUT XXXM6/1-6300202-00005XX
LimitExercise01 for No.9404

$$NoI = \left[f(x) = \frac{\sqrt{x} - 8}{64 - x}, a = 64 \right]$$

x	63.8000	63.9000	63.9900	63.9990	63.9999	..	a = 64	...	64.0001	64.0010	64.0100	64.1000	64.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No2 = \left[f(x) = \frac{-1+x}{-4+3x+x^2}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	..	a =	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{\sin(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x^2 + x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...		0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{6e^x - 6}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No6 = [\alpha = -4, \beta = 4, \gamma = 6, \delta = 8, \varepsilon = 12]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6300202-00007XX
LimitExercise01 for No.9474

$$NoI = \left[f(x) = \frac{x-36}{\sqrt{x-6}}, a = 36 \right]$$

x	35.8000	35.9000	35.9900	35.9990	35.9999	..	a = 36	...	36.0001	36.0010	36.0100	36.1000	36.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No2 = \left[f(x) = \frac{2x}{x^2 + x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{\cos(x) - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{-24 - 2x + x^2}{-6 + x}, a = 6 \right]$$

x	5.8000	5.9000	5.9900	5.9990	5.9999	...	a = 6	...	6.0001	6.0010	6.0100	6.1000	6.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{5e^x - 5}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -2, \beta = -1, \gamma = 1, \delta = 10, \varepsilon = 11]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6300202-00009XX
LimitExercise01 for No.9965

$$NoI = \left[f(x) = \frac{-9 + x}{3 - \sqrt{x}}, a = 9 \right]$$

x	8.8000	8.9000	8.9900	8.9990	8.9999	...	a = 9	...	9.0001	9.0010	9.0100	9.1000	9.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{x^2 + 2x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{5x}{e^x - 1}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x}{\sin(x)}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{x-4}{-10x+x^2+24}, a=4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	..	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -10, \beta = -8, \gamma = 4, \delta = 7, \varepsilon = 9]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6300202-00010XX
LimitExercise01 for No.10186

$$NoI = \left[f(x) = \frac{6 - 6e^x}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{4 - \sqrt{x}}{x - 16}, a = 16 \right]$$

x	15.8000	15.9000	15.9900	15.9990	15.9999	...	a = 16	...	16.0001	16.0010	16.0100	16.1000	16.2000
---	---------	---------	---------	---------	---------	-----	--------	-----	---------	---------	---------	---------	---------

$$No3 = \left[f(x) = \frac{-6 + x}{12 - 8x + x^2}, a = 6 \right]$$

x	5.8000	5.9000	5.9900	5.9990	5.9999	...	a = 6	...	6.0001	6.0010	6.0100	6.1000	6.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{4|x|}{x^2 + 2x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	---	---	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{\sin(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -10, \beta = -6, \gamma = 0, \delta = 5, \varepsilon = 7]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6300202-00011XX
LimitExercise01 for No.10203

$$NoI = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{-6x + x^2 + 8}{x - 4}, a = 4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	..	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{9-x}{3-\sqrt{x}}, a=9 \right]$$

x	8.8000	8.9000	8.9900	8.9990	8.9999	...	a = 9	...	9.0001	9.0010	9.0100	9.1000	9.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x^2 + 3x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{3x}{1 - e^x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No6 = [\alpha = -9, \beta = 4, \gamma = 5, \delta = 9, \varepsilon = 12]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6300202-00012XX
LimitExercise01 for No.10215

$$NoI = \left[f(x) = \frac{-1+x}{\sqrt{x-1}}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	...	a	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	-----	---	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{x^2 + x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{2 - 2e^x}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{-8 + 2x + x^2}{-2 + x}, a = 2 \right]$$

x	1.8000	1.9000	1.9900	1.9990	1.9999	...	a = 2	...	2.0001	2.0010	2.0100	2.1000	2.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -12, \beta = -11, \gamma = -2, \delta = 0, \varepsilon = 11]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6300202-00013XX
LimitExercise01 for No.10889

$$NoI = \left[f(x) = \frac{\sqrt{x-4}}{x-16}, a = 16 \right]$$

x	15.8000	15.9000	15.9900	15.9990	15.9999	..	a = 16	...	16.0001	16.0010	16.0100	16.1000	16.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No2 = \left[f(x) = \frac{4e^x - 4}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{x^2 + x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{-8 + 2x + x^2}{-2 + x}, a = 2 \right]$$

x	1.8000	1.9000	1.9900	1.9990	1.9999	..	a = 2	...	2.0001	2.0010	2.0100	2.1000	2.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = 0, \beta = 3, \gamma = 5, \delta = 7, \varepsilon = 11]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6300202-00014XX
LimitExercise01 for No.10981

$$NoI = \left[f(x) = \frac{6 - 7x + x^2}{-6 + x}, a = 6 \right]$$

x	5.8000	5.9000	5.9900	5.9990	5.9999	..	a = 6	...	6.0001	6.0010	6.0100	6.1000	6.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{3x}{e^x - 1}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{\sqrt{x} - 7}{49 - x}, a = 49 \right]$$

x	48.8000	48.9000	48.9900	48.9990	48.9999	...	a = 49	...	49.0001	49.0010	49.0100	49.1000	49.2000
---	---------	---------	---------	---------	---------	-----	--------	-----	---------	---------	---------	---------	---------

$$No4 = \left[f(x) = \frac{4|x|}{x^2 + 2x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{\cos(x) - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -11, \beta = -6, \gamma = -1, \delta = 7, \varepsilon = 9]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6300202-00015XX
LimitExercise01 for No.10996

$$NoI = \left[f(x) = \frac{\sqrt{x-5}}{25-x}, a = 25 \right]$$

x	24.8000	24.9000	24.9900	24.9990	24.9999	..	a = 25	...	25.0001	25.0010	25.0100	25.1000	25.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No2 = \left[f(x) = \frac{6 - 6e^x}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{x^2 + 3x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{-5 + x}{-30 + x + x^2}, a = 5 \right]$$

x	4.8000	4.9000	4.9900	4.9990	4.9999	..	a = 5	...	5.0001	5.0010	5.0100	5.1000	5.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{\cos(x) - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = 2, \beta = 3, \gamma = 5, \delta = 6, \varepsilon = 12]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6300202-00017XX
LimitExercise01 for No.11394

$$NoI = \left[f(x) = \frac{x}{\sin(x)}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{5x}{1 - e^x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{1 - \sqrt{x}}{1 - x}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	...	a =	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x^2 + x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...		0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{-7+x}{-49+x^2}, a=7 \right]$$

x	6.8000	6.9000	6.9900	6.9990	6.9999	...	a = 7	...	7.0001	7.0010	7.0100	7.1000	7.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -11, \beta = -8, \gamma = -3, \delta = 6, \varepsilon = 8]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6300202-00018XX
LimitExercise01 for No.11397

$$NoI = \left[f(x) = \frac{30 - 11x + x^2}{-6 + x}, a = 6 \right]$$

x	5.8000	5.9000	5.9900	5.9990	5.9999	...	a = 6	...	6.0001	6.0010	6.0100	6.1000	6.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{1 - \sqrt{x}}{-1 + x}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	...	a =	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{x}{\sin(x)}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x^2 + 2x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{3x}{1 - e^x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -9, \beta = -3, \gamma = 1, \delta = 3, \varepsilon = 8]$$

[illegible]

.....

XX
X Math@MUT XXM6/1-6300202-00027XX
LimitExercise01 for No.11650

$$NoI = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{-1+x}{1-\sqrt{x}}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	..	a =	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{-x + x^2 - 12}{x - 4}, a = 4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	..	a =	4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{2x}{x^2 + x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{1 - e^x}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -10, \beta = 2, \gamma = 5, \delta = 7, \varepsilon = 9]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6300202-00028XX
LimitExercise01 for No.12273

$$NoI = \left[f(x) = \frac{x}{\sin(x)}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
f(x)	0.9801	0.9801	0.9801	0.9801	0.9801	..	0.9801	=	0.9801	0.9801	0.9801	0.9801	0.9801	0.9801	0.9801
g(x)	0.9602	0.9602	0.9602	0.9602	0.9602	..	0.9602	=	0.9602	0.9602	0.9602	0.9602	0.9602	0.9602	0.9602
h(x)	0.9403	0.9403	0.9403	0.9403	0.9403	..	0.9403	=	0.9403	0.9403	0.9403	0.9403	0.9403	0.9403	0.9403
i(x)	0.9204	0.9204	0.9204	0.9204	0.9204	..	0.9204	=	0.9204	0.9204	0.9204	0.9204	0.9204	0.9204	0.9204
j(x)	0.9005	0.9005	0.9005	0.9005	0.9005	..	0.9005	=	0.9005	0.9005	0.9005	0.9005	0.9005	0.9005	0.9005
k(x)	0.8806	0.8806	0.8806	0.8806	0.8806	..	0.8806	=	0.8806	0.8806	0.8806	0.8806	0.8806	0.8806	0.8806
l(x)	0.8607	0.8607	0.8607	0.8607	0.8607	..	0.8607	=	0.8607	0.8607	0.8607	0.8607	0.8607	0.8607	0.8607
m(x)	0.8408	0.8408	0.8408	0.8408	0.8408	..	0.8408	=	0.8408	0.8408	0.8408	0.8408	0.8408	0.8408	0.8408
n(x)	0.8209	0.8209	0.8209	0.8209	0.8209	..	0.8209	=	0.8209	0.8209	0.8209	0.8209	0.8209	0.8209	0.8209
o(x)	0.8010	0.8010	0.8010	0.8010	0.8010	..	0.8010	=	0.8010	0.8010	0.8010	0.8010	0.8010	0.8010	0.8010
p(x)	0.7811	0.7811	0.7811	0.7811	0.7811	..	0.7811	=	0.7811	0.7811	0.7811	0.7811	0.7811	0.7811	0.7811
q(x)	0.7612	0.7612	0.7612	0.7612	0.7612	..	0.7612	=	0.7612	0.7612	0.7612	0.7612	0.7612	0.7612	0.7612
r(x)	0.7413	0.7413	0.7413	0.7413	0.7413	..	0.7413	=	0.7413	0.7413	0.7413	0.7413	0.7413	0.7413	0.7413
s(x)	0.7214	0.7214	0.7214	0.7214	0.7214	..	0.7214	=	0.7214	0.7214	0.7214	0.7214	0.7214	0.7214	0.7214
t(x)	0.7015	0.7015	0.7015	0.7015	0.7015	..	0.7015	=	0.7015	0.7015	0.7015	0.7015	0.7015	0.7015	0.7015
u(x)	0.6816	0.6816	0.6816	0.6816	0.6816	..	0.6816	=	0.6816	0.6816	0.6816	0.6816	0.6816	0.6816	0.6816
v(x)	0.6617	0.6617	0.6617	0.6617	0.6617	..	0.6617	=	0.6617	0.6617	0.6617	0.6617	0.6617	0.6617	0.6617
w(x)	0.6418	0.6418	0.6418	0.6418	0.6418	..	0.6418	=	0.6418	0.6418	0.6418	0.6418	0.6418	0.6418	0.6418
x(x)	0.6219	0.6219	0.6219	0.6219	0.6219	..	0.6219	=	0.6219	0.6219	0.6219	0.6219	0.6219	0.6219	0.6219
y(x)	0.6020	0.6020	0.6020	0.6020	0.6020	..	0.6020	=	0.6020	0.6020	0.6020	0.6020	0.6020	0.6020	0.6020
z(x)	0.5821	0.5821	0.5821	0.5821	0.5821	..	0.5821	=	0.5821	0.5821	0.5821	0.5821	0.5821	0.5821	0.5821
A(x)	0.5622	0.5622	0.5622	0.5622	0.5622	..	0.5622	=	0.5622	0.5622	0.5622	0.5622	0.5622	0.5622	0.5622
B(x)	0.5423	0.5423	0.5423	0.5423	0.5423	..	0.5423	=	0.5423	0.5423	0.5423	0.5423	0.5423	0.5423	0.5423
C(x)	0.5224	0.5224	0.5224	0.5224	0.5224	..	0.5224	=	0.5224	0.5224					

$$No2 = \left[f(x) = \frac{x^2 + 3x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{-6 + x}{-6 - 5x + x^2}, a = 6 \right]$$

x	5.8000	5.9000	5.9900	5.9990	5.9999	...	a = 6	...	6.0001	6.0010	6.0100	6.1000	6.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{7 - \sqrt{x}}{49 - x}, a = 49 \right]$$

x	48.8000	48.9000	48.9900	48.9990	48.9999	...	a = 49	...	49.0001	49.0010	49.0100	49.1000	49.2000
---	---------	---------	---------	---------	---------	-----	--------	-----	---------	---------	---------	---------	---------

$$No5 = \left[f(x) = \frac{6e^x - 6}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -9, \beta = 3, \gamma = 5, \delta = 6, \varepsilon = 9]$$

[illegible]

• • • • •

XX
X Math@MUT XXXM6/1-6300202-00029XX
LimitExercise01 for No.12356

$$NoI = \left[f(x) = \frac{\sin(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{8 - \sqrt{x}}{64 - x}, a = 64 \right]$$

x	63.8000	63.9000	63.9900	63.9990	63.9999	...	a = 64	...	64.0001	64.0010	64.0100	64.1000	64.2000
---	---------	---------	---------	---------	---------	-----	--------	-----	---------	---------	---------	---------	---------

$$No3 = \left[f(x) = \frac{3x}{x^2 + 3x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{4x - 21 + x^2}{-3 + x}, a = 3 \right]$$

x	2.8000	2.9000	2.9900	2.9990	2.9999	...	a = 3	...	3.0001	3.0010	3.0100	3.1000	3.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{e^x - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -8, \beta = -6, \gamma = -1, \delta = 8, \varepsilon = 9]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6300202-00034XX
LimitExercise01 for No.12696

$$NoI = \left[f(x) = \frac{2x}{x^2 + x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{\sqrt{x-2}}{x-4}, a = 4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	...	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{\sin(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{2 - 2e^x}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a = 0	...	0.0001	0.0010	0.0100	0.1000	0.2000
y	-0.1999	-0.0999	-0.0099	-0.0009	-0.0001	...	0	...	0.0001	0.0010	0.0100	0.1000	0.1999

$$No5 = \left[f(x) = \frac{-2+x}{-12+4x+x^2}, a=2 \right]$$

x	1.8000	1.9000	1.9900	1.9990	1.9999	...	a = 2	...	2.0001	2.0010	2.0100	2.1000	2.2000
f(x)	0.0000	0.0000	0.0000	0.0000	0.0000	...	0.0000	...	0.0000	0.0000	0.0000	0.0000	0.0000

$$No6 = [\alpha = -11, \beta = -9, \gamma = -6, \delta = 0, \varepsilon = 2]$$

[illegible]

.....

[illegible]