


$$NoI = \left[\begin{array}{lll} .1 = (y = -2x + 17) & .3 = (3x - 4y - 4 = 0) & .5 = (4x - y + 3 = 0) \\ .2 = \left(y = \frac{x}{4}\right) & .4 = (2x + y - 7 = 0) & .6 = (y = -x + 3) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ : \\ D \end{array} \right]$$



.....

Continue Next Page >>>


Function02 for No.9004 (continue)

```
No4 : 4.1 > S = 170      , R = 4
      4.2 > S = 9600    , R = 6
No5 : N = 17000      , R = 9      , Y = 2567
No6 : P = 120        , F = 18000  , V = 40      , N = 222
```

$$No7 = \begin{bmatrix} D(p) = -13p + 6521 \\ S(p) = 19p + 4377 \end{bmatrix}$$

[illegible]
$$\vdots$$

$$NoI = \left[\begin{array}{lll} .1 = (y = -x - 1) & .3 = (3x + y - 5 = 0) & .5 = (2x - 5y + 5 = 0) \\ .2 = (x + 2y - 6 = 0) & .4 = \left(y = -\frac{x}{2} - 6\right) & .6 = (y = 2x + 19) \end{array} \right], \quad \left[\begin{array}{l} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



.....

Continue Next Page >>>

Function02 for No.9033 (continue)

```
No4 : 4.1 > S = 150      , R = 3
      : 4.2 > S = 6600   , R = 5
No5 : N = 26000      , R = 11      , Y = 2565
No6 : P = 150        , F = 22000   , V = 60      , N = 231
```


$$No7 = \begin{bmatrix} D(p) = -20p + 7250 \\ S(p) = 21p + 4585 \end{bmatrix}$$

X [Page = 0002] XXX

$$\vdots$$

XX
X Math@MUT XXXM5/2-6300402-00003XX
Function02 for No.9237


$$NoI = \left[\begin{array}{lll} .1 = (x - 4y + 20 = 0) & .3 = (2x + y + 1 = 0) & .5 = (y = -x - 1) \\ .2 = \left(y = \frac{5x}{3} + 2\right) & .4 = (x + y + 5 = 0) & .6 = (y = 3x + 15) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



Continue Next Page >>>

.....

$$NoI = \left[\begin{array}{lll} .1 = (4x + y - 18 = 0) & .3 = \left(y = \frac{2x}{5} - 4 \right) & .5 = (y = 4x - 7) \\ .2 = (4x - y + 2 = 0) & .4 = (y = -x - 1) & .6 = (x - 4y + 4 = 0) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ : \\ D \end{array} \right]$$



Continue Next Page >>>

Function02 for No.9286 (continue)

$$No2 = \begin{bmatrix} Eq = [y = 4x - 7] \\ A = (-3, -19) \\ B = (-5, -26) \\ C = (-2, -15) \\ D = (-4, -25) \end{bmatrix}, \quad No3 = \begin{bmatrix} Eq = [4x - y + 2 = 0] \\ A = (5, 22) \\ B = (4, 18) \\ C = (-1, -2) \\ D = (1, 3) \end{bmatrix}, \quad \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \end{bmatrix}$$


```
No4 : 4.1 > S = 170      , R = 6
      : 4.2 > S = 9100   , R = 6
No5 : N = 24000      , R = 10      , Y = 2571
No6 : P = 170        , F = 22000   , V = 50      , N = 181
```

$$No7 = \begin{bmatrix} D(p) = -17p + 7889 \\ S(p) = 15p + 5745 \end{bmatrix}$$

X [Page = 0004] XX

⋮

$$NoI = \left[\begin{array}{lll} .1 = \left(y = -\frac{x}{4} + 2 \right) & .3 = (2x + 3y + 18 = 0) & .5 = (2x + y + 2 = 0) \\ .2 = (2x + y + 18 = 0) & .4 = (y = 3x) & .6 = (y = -x + 7) \end{array} \right], \quad \left[\begin{array}{l} M \\ a \\ t \\ h \\ : \\ :D \end{array} \right]$$



•
•
•
•
•
•
•
•
•

Continue Next Page >>>


Function02 for No.9604 (continue)

```
No4 : 4.1 > S = 180      , R = 4
      : 4.2 > S = 8200   , R = 6
No5 : N = 19000      , R = 11      , Y = 2566
No6 : P = 180        , F = 17000   , V = 60      , N = 156
```

$$No7 = \begin{bmatrix} D(p) = -16p + 5770 \\ S(p) = 27p + 3835 \end{bmatrix}$$

[illegible]
$$\vdots$$

$$NoI = \left[\begin{array}{lll} .1 = (y = -2x + 16) & .3 = \left(y = \frac{5x}{6} - 7 \right) & .5 = (y = x - 1) \\ .2 = (x + 3y - 6 = 0) & .4 = (2x - y + 3 = 0) & .6 = (x + 3y + 21 = 0) \end{array} \right], \left[\begin{array}{c} M \\ a \\ t \\ h \\ : \\ D \end{array} \right]$$



.
.
.
.
.
.
.
.
.
.
.

Continue Next Page >>>

Function02 for No.9635 (continue)


$$No2 = \begin{bmatrix} Eq = [y = -2x + 16] \\ A = (-4, 25) \\ B = (-5, 26) \\ C = (-2, 20) \\ D = (2, 10) \end{bmatrix}, \quad No3 = \begin{bmatrix} Eq = [x + 3y + 21 = 0] \\ A = (9, -10) \\ B = (3, -8) \\ C = (-3, -6) \\ D = (12, -13) \end{bmatrix}, \quad \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \end{bmatrix}$$

No6 : P = 180 , F = 22000 , V = 30 , N = 155

$$No7 = \begin{bmatrix} D(p) = -18p + 6210 \\ S(p) = 23p + 4365 \end{bmatrix}$$

.....

$$NoI = \begin{bmatrix} .1 = \left(y = -\frac{5x}{6} \right) & .3 = (y = 4x + 2) & .5 = (4x + y - 17 = 0) \\ .2 = (y = -x + 6) & .4 = (4x - y - 7 = 0) & .6 = (x - 4y - 24 = 0) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ : \\ :D \end{bmatrix}$$



•
•
•
•
•
•
•
•
•

Continue Next Page >>>

Function02 for No.9770 (continue)

```
No4 : 4.1 > S = 150      , R = 4
      : 4.2 > S = 6900   , R = 6
No5 : N = 21000      , R = 6      , Y = 2566
No6 : P = 170        , F = 18000   , V = 60      , N = 158
```


$$No7 = \begin{bmatrix} D(p) = -17p + 7923 \\ S(p) = 24p + 5094 \end{bmatrix}$$

X [Page = 0007] XX

$$\vdots$$

XX
X Math@MUT XXXM5/2-6300402-00008XX
Function02 for No.9799

$$NoI = \left[\begin{array}{ccc} .1 = (3x + y - 6 = 0) & .3 = (y = 3x + 15) & .5 = \left(y = \frac{x}{4} - 5 \right) \\ .2 = (3x + y = 0) & .4 = (x - y - 5 = 0) & .6 = \left(y = \frac{3x}{2} \right) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ :) \\ : D \end{array} \right]$$



Continue Next Page >>>

.....

Function02 for No.9799 (continue)

```
No4 : 4.1 > S = 190      , R = 4
      : 4.2 > S = 7200   , R = 6
No5 : N = 15000      , R = 7      , Y = 2569
No6 : P = 160        , F = 22000  , V = 70      , N = 235
```


$$No7 = \begin{bmatrix} D(p) = -14p + 6976 \\ S(p) = 23p + 3868 \end{bmatrix}$$

X [Page = 0008] XX

$$\vdots$$

XXX
X Math@MUT XXXM5/2-6300402-00009XX
Function02 for No.9824

$$NoI = \left[\begin{array}{ccc} .1 = (y = -3x - 1) & .3 = (x + y + 7 = 0) & .5 = (5x - 2y + 4 = 0) \\ .2 = (y = 4x + 17) & .4 = (3x + y - 4 = 0) & .6 = \left(y = \frac{x}{2} - 7\right) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



Continue Next Page >>>

.....


Function02 for No.9824 (continue)

```
No4 : 4.1 > S = 160      , R = 7
      : 4.2 > S = 6100   , R = 6
No5 : N = 14000      , R = 10      , Y = 2571
No6 : P = 130        , F = 22000   , V = 30      , N = 221
```

$$No7 = \begin{bmatrix} D(p) = -21 p + 7132 \\ S(p) = 13 p + 5704 \end{bmatrix}$$

X [Page = 0009] XX

$$\vdots$$

$$NoI = \left[\begin{array}{ccc} .1 = (y = x + 2) & .3 = \left(y = \frac{x}{3} - 7 \right) & .5 = (x - 3y - 9 = 0) \\ .2 = (2x - 3y + 18 = 0) & .4 = (y + 2x - 16 = 0) & .6 = (y = 2x) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$


.....

Function02 for No.9853 (continue)


```
No4 : 4.1 > S = 190      , R = 5
      : 4.2 > S = 7600   , R = 3
No5 : N = 20000      , R = 9      , Y = 2565
No6 : P = 150        , F = 17000   , V = 30      , N = 155
```

$$No7 = \begin{bmatrix} D(p) = -17p + 7683 \\ S(p) = 27p + 5527 \end{bmatrix}$$

```
X [Page = 0010] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```

$$\vdots$$

$$NoI = \left[\begin{array}{lll} .1 = (x - 3y + 6 = 0) & .3 = (y = 4x + 6) & .5 = (2x + y - 19 = 0) \\ .2 = \left(y = -\frac{6x}{5}\right) & .4 = (4x - y + 4 = 0) & .6 = (y = -x) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ : \\ D \end{array} \right]$$



.....

Continue Next Page >>>

Function02 for No.9936 (continue)


```
No4 : 4.1 > S = 180      , R = 3
      : 4.2 > S = 9700   , R = 5
No5 : N = 29000      , R = 5      , Y = 2565
No6 : P = 140        , F = 22000   , V = 40      , N = 222
```

$$No7 = \begin{bmatrix} D(p) = -23\,p + 7809 \\ S(p) = 25\,p + 3825 \end{bmatrix}$$

X [Page = 0011] XX

$$\vdots$$

$$No1 = \left[\begin{array}{lll} .1 = \left(y = -\frac{6x}{5} + 6 \right) & .3 = (4x + y - 5 = 0) & .5 = (y = x - 2) \\ .2 = \left(y = \frac{x}{2} \right) & .4 = (3x - y + 19 = 0) & .6 = (4x + y - 7 = 0) \end{array} \right], \quad \left[\begin{array}{l} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



.....

Continue Next Page >>>

Function02 for No.10029 (continue)

```

No4  : 4.1 > S = 160      , R = 3
      : 4.2 > S = 8700   , R = 7
No5  : N = 28000      , R = 7      , Y = 2566
No6  : P = 160        , F = 23000   , V = 50      , N = 215


```

$$No7 = \begin{bmatrix} D(p) = -28p + 7984 \\ S(p) = 29p + 4963 \end{bmatrix}$$

X [Page = 0012] XX

$$\vdots$$

$$No1 = \begin{bmatrix} .1 = (3x - 2y - 14 = 0) & .3 = (y = -3x + 17) & .5 = (y = -3x - 7) \\ .2 = (2x - y + 7 = 0) & .4 = \left(y = \frac{x}{2} + 5\right) & .6 = (x - y - 5 = 0) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ :) \\ :D \end{bmatrix}$$



.....

Continue Next Page >>>

•


```
No4 : 4.1 > S = 140      , R = 5
      : 4.2 > S = 7600   , R = 6
No5 : N = 28000      , R = 7      , Y = 2571
No6 : P = 170        , F = 18000   , V = 60      , N = 179
```

$$No7 = \begin{bmatrix} D(p) = -21p + 6729 \\ S(p) = 26p + 4426 \end{bmatrix}$$

.....

XX
X Math@MUT XXXM5/2-6300402-00014XX
Function02 for No.11124

$$NoI = \begin{bmatrix} .I = (3x - y + 1 = 0) & .3 = \left(y = \frac{x}{4} + 5\right) & .5 = \left(y = -\frac{4x}{3} - 4\right) \\ .2 = (3x + y - 15 = 0) & .4 = (y = -x - 6) & .6 = (y + x - 7 = 0) \end{bmatrix}, \quad \begin{bmatrix} M \\ a \\ t \\ h \\ \therefore \\ :D \end{bmatrix}$$



Continue Next Page >>>

.....

Function02 for No.11124 (continue)

```
No4 : 4.1 > S = 180      , R = 6
      : 4.2 > S = 7400   , R = 3
No5 : N = 19000      , R = 10      , Y = 2567
No6 : P = 180        , F = 18000   , V = 50      , N = 138
```


$$No7 = \begin{bmatrix} D(p) = -24p + 7320 \\ S(p) = 13p + 4360 \end{bmatrix}$$

X [Page = 0014] XX

$$\vdots$$

$$NoI = \begin{bmatrix} .1 = (2x - 5y - 35 = 0) & .3 = (y = -3x + 1) & .5 = (y = 4x + 16) \\ .2 = (y + x - 6 = 0) & .4 = (x + 2y + 10 = 0) & .6 = (y = -3x + 2) \end{bmatrix},$$

$\begin{bmatrix} M \\ a \\ t \\ h \\ :) \\ :D \end{bmatrix}$



Continue Next Page >>>

.....

Function02 for No.11785 (continue)

```
No4 : 4.1 > S = 190      , R = 4
      : 4.2 > S = 7600   , R = 3
No5 : N = 20000      , R = 10      , Y = 2568
No6 : P = 140        , F = 20000   , V = 40      , N = 215
```


$$No7 = \begin{bmatrix} D(p) = -24p + 8072 \\ S(p) = 25p + 5475 \end{bmatrix}$$

X [Page = 0015] XX

$$\vdots$$

XX
X Math@MUT XXXM5/2-6300402-00016XX
Function02 for No.11787

$$NoI = \left[\begin{array}{lll} .1 = (4x - y - 6 = 0) & .3 = (y = -4x + 19) & .5 = \left(y = -\frac{4x}{3} + 7 \right) \\ .2 = \left(y = \frac{x}{2} - 1 \right) & .4 = (x + y + 3 = 0) & .6 = (4x + 3y - 9 = 0) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



Continue Next Page >>>

.....

•


```
No4 : 4.1 > S = 170      , R = 4
      : 4.2 > S = 6200   , R = 5
No5 : N = 18000      , R = 9      , Y = 2565
No6 : P = 160        , F = 17000   , V = 30      , N = 116
```

$$No7 = \begin{bmatrix} D(p) = -25p + 7500 \\ S(p) = 16p + 5450 \end{bmatrix}$$

.....

XX
X Math@MUT XXXM5/2-6300402-00017XX
Function02 for No.11852

$$NoI = \left[\begin{array}{ccc} .1 = (3x + y - 1 = 0) & .3 = \left(y = \frac{4x}{3}\right) & .5 = (y = x) \\ .2 = (3x - y + 19 = 0) & .4 = \left(y = \frac{x}{2} - 2\right) & .6 = (x - y + 7 = 0) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



Continue Next Page >>>

.....


•

$$No2 = \begin{bmatrix} Eq = \left[y = \frac{x}{2} - 2 \right] \\ A = (-4, -3) \\ B = (-10, -5) \\ C = (0, -2) \\ D = (-8, -6) \end{bmatrix}, No3 = \begin{bmatrix} Eq = [x - y + 7 = 0] \\ A = (4, 8) \\ B = (-1, 6) \\ C = (-3, 4) \\ D = (5, 11) \end{bmatrix},$$

No6 : P = 180 , F = 22000 , V = 60 , N = 176

$$No7 = \begin{bmatrix} D(p) = -23 p + 8268 \\ S(p) = 15 p + 5760 \end{bmatrix}$$

.....

$$NoI = \begin{bmatrix} .1 = (x + 2\,y + 6 = 0) & .3 = (2\,x - 3\,y + 12 = 0) & .5 = (y = -4\,x + 17) \\ .2 = (x + y + 1 = 0) & .4 = \left(y = \frac{2\,x}{3} - 3\right) & .6 = (y = 4\,x + 5) \end{bmatrix}, \quad \begin{bmatrix} M \\ a \\ t \\ h \\ :j \\ :D \end{bmatrix}$$
[illegible]


Function02 for No.11898 (continue)

```
No4 : 4.1 > S = 150      , R = 6
      : 4.2 > S = 8300   , R = 6
No5 : N = 22000      , R = 11      , Y = 2565
No6 : P = 140        , F = 22000   , V = 50      , N = 233
```

$$No7 = \begin{bmatrix} D(p) = -25 p + 7750 \\ S(p) = 26 p + 5302 \end{bmatrix}$$

[illegible]
$$\vdots$$

$$NoI = \left[\begin{array}{lll} .1 = \left(y = -\frac{x}{4} + 6 \right) & .3 = (y = 4x + 18) & .5 = (3x + y - 5 = 0) \\ .2 = (y = -x + 4) & .4 = (3x + y - 3 = 0) & .6 = (3x - 2y = 0) \end{array} \right], \quad \left[\begin{array}{l} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



Continue Next Page >>>

Function02 for No.11909 (continue)


```
No4 : 4.1 > S = 170      , R = 6
      : 4.2 > S = 8600   , R = 7
No5 : N = 21000      , R = 7      , Y = 2571
No6 : P = 150        , F = 23000   , V = 40      , N = 221
```

$$No7 = \begin{bmatrix} D(p) = -23\,p + 6292 \\ S(p) = 16\,p + 4186 \end{bmatrix}$$

X [Page = 0019] XX

$$\vdots$$

$$NoI = \left[\begin{array}{lll} .1 = (y = -x + 3) & .3 = (3x - y + 2 = 0) & .5 = (y = -4x + 15) \\ .2 = (4x - 5y - 35 = 0) & .4 = \left(y = \frac{x}{3} + 2\right) & .6 = (x + y - 5 = 0) \end{array} \right], \quad \left[\begin{array}{l} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



•
•
•
•
•
•
•
•
•

Continue Next Page >>>

Function02 for No.11944 (continue)

```
No4 : 4.1 > S = 180      , R = 6
      : 4.2 > S = 9200   , R = 3
No5 : N = 17000      , R = 11      , Y = 2565
No6 : P = 130        , F = 17000   , V = 30      , N = 164
```


$$No7 = \begin{bmatrix} D(p) = -13p + 7391 \\ S(p) = 15p + 5795 \end{bmatrix}$$

X [Page = 0020] XX

$$\vdots$$

XXX
X Math@MUT XXXM5/2-6300402-00021XX
Function02 for No.11961

$$NoI = \left[\begin{array}{ccc} .1 = \left(y = \frac{5x}{4} - 7 \right) & .3 = (x + y + 5 = 0) & .5 = (y = -x) \\ .2 = (4x + y + 4 = 0) & .4 = \left(y = -\frac{x}{4} + 7 \right) & .6 = (4x - y + 19 = 0) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



Continue Next Page >>>

.....

Function02 for No.11961 (continue)

$$No2 = \begin{bmatrix} Eq = \left[y = -\frac{x}{4} + 7 \right] \\ A = (16, 1) \\ B = (-12, 10) \\ C = (-4, 8) \\ D = (-8, 9) \end{bmatrix}, No3 = \begin{bmatrix} Eq = [x + y + 5 = 0] \\ A = (5, -10) \\ B = (0, -5) \\ C = (3, -5) \\ D = (-4, -2) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \end{bmatrix}$$


No6 : P = 120 , F = 17000 , V = 40 , N = 221

$$No7 = \begin{bmatrix} D(p) = -25p + 7125 \\ S(p) = 17p + 4227 \end{bmatrix}$$

X [Page = 0021] XXX

⋮

$$NoI = \left[\begin{array}{lll} .1 = (3x + 4y - 20 = 0) & .3 = \left(y = \frac{x}{4} - 4\right) & .5 = (3x + 4y + 28 = 0) \\ .2 = (3x - y + 19 = 0) & .4 = (y = -x - 2) & .6 = (y = -4x - 7) \end{array} \right], \quad \left[\begin{array}{l} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



.....

Continue Next Page >>>


Function02 for No.11966 (continue)

```
No4 : 4.1 > S = 160      , R = 3
      : 4.2 > S = 10300  , R = 5
No5 : N = 23000      , R = 6      , Y = 2566
No6 : P = 130        , F = 22000  , V = 60      , N = 319
```

$$No7 = \begin{bmatrix} D(p) = -13\,p + 6130 \\ S(p) = 21\,p + 4090 \end{bmatrix}$$


[illegible]
$$\vdots$$

$$NoI = \left[\begin{array}{lll} .1 = (2x - 5y - 35 = 0) & .3 = (y = -4x - 17) & .5 = (2x - y + 6 = 0) \\ .2 = (2x - y + 2 = 0) & .4 = \left(y = \frac{x}{2} + 1\right) & .6 = (y = -x - 3) \end{array} \right], \quad \left[\begin{array}{l} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



Continue Next Page >>>

$$NoI = \left[\begin{array}{lll} .1 = (x - 4y - 20 = 0) & .3 = \left(y = \frac{x}{4} - 4\right) & .5 = (4x - 3y + 6 = 0) \\ .2 = (4x - y - 3 = 0) & .4 = (y = -3x - 16) & .6 = (y = -x + 4) \end{array} \right], \quad \left[\begin{array}{l} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



.....

Continue Next Page >>>


Function02 for No.12045 (continue)

```
No4 : 4.1 > S = 150      , R = 4
      : 4.2 > S = 6300   , R = 7
No5 : N = 22000      , R = 9      , Y = 2567
No6 : P = 150        , F = 22000  , V = 60      , N = 249
```

$$No7 = \begin{bmatrix} D(p) = -27p + 7882 \\ S(p) = 19p + 4846 \end{bmatrix}$$

X [Page = 0024] XX

$$\vdots$$

$$NoI = \left[\begin{array}{lll} .1 = \left(y = -\frac{4x}{5} + 1 \right) & .3 = (x - 3y - 9 = 0) & .5 = (4x - y = 0) \\ .2 = \left(y = \frac{x}{3} + 3 \right) & .4 = (y = x - 2) & .6 = (2x + y - 20 = 0) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ \therefore \\ :D \end{array} \right]$$


.....

Function02 for No.12623 (continue)


```
No4 : 4.1 > S = 130      , R = 6
      : 4.2 > S = 9200   , R = 6
No5 : N = 18000      , R = 6      , Y = 2568
No6 : P = 150        , F = 19000  , V = 70      , N = 245
```

$$No7 = \begin{bmatrix} D(p) = -15p + 6935 \\ S(p) = 14p + 5514 \end{bmatrix}$$

X [Page = 0025] XX

$$\vdots$$

$$NoI = \begin{bmatrix} .1 = (4x + 5y + 5 = 0) & .3 = (x - 2y - 4 = 0) & .5 = (y = -3x + 3) \\ .2 = (3x - y + 15 = 0) & .4 = (y = -x + 1) & .6 = (y = -x + 6) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ :) \\ :D \end{bmatrix}$$



•
•
•
•
•
•
•
•
•

Continue Next Page >>>

Function02 for No.12915 (continue)

```
No4 : 4.1 > S = 170      , R = 7
      : 4.2 > S = 6500   , R = 7
No5 : N = 16000      , R = 5      , Y = 2570
No6 : P = 170        , F = 19000  , V = 70      , N = 194
```


$$No7 = \begin{bmatrix} D(p) = -27p + 8633 \\ S(p) = 17p + 5157 \end{bmatrix}$$

X [Page = 0026] XX

$$\vdots$$

XXX
X Math@MUT XXXM5/2-6300402-00027XX
Function02 for No.13089

$$NoI = \begin{bmatrix} .1 = \left(y = \frac{x}{4} + 5 \right) & .3 = (4x + y - 2 = 0) & .5 = \left(y = -\frac{5x}{6} + 2 \right) \\ .2 = \left(y = \frac{x}{4} + 6 \right) & .4 = (y + x - 4 = 0) & .6 = (2x - y + 18 = 0) \end{bmatrix}, \quad \begin{bmatrix} M \\ a \\ t \\ h \\ : \\ :D \end{bmatrix}$$



Continue Next Page >>>

.....

Function02 for No.13089 (continue)

$$No2 = \begin{bmatrix} Eq = \left[y = \frac{x}{4} + 5 \right] \\ A = (12, 11) \\ B = (-12, 2) \\ C = (16, 12) \\ D = (4, 6) \end{bmatrix}, No3 = \begin{bmatrix} Eq = [y + x - 4 = 0] \\ A = (0, 4) \\ B = (-4, 8) \\ C = (-2, 7) \\ D = (-1, 5) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ @ \\ M \\ U \\ T \end{bmatrix}$$

No4 : 4.1 > S = 140 , R = 5
: 4.2 > S = 6200 , R = 6

No5 : N = 17000 , R = 6 , Y = 2568


No6 : P = 120 , F = 21000 , V = 50 , N = 293

$$No7 = \begin{bmatrix} D(p) = -23\,p + 7256 \\ S(p) = 14\,p + 4592 \end{bmatrix}$$

X [Page = 0027] XX

.....

$$NoI = \begin{bmatrix} .1 = (y = -x - 1) & .3 = (3x + y + 5 = 0) & .5 = (x + 2y - 2 = 0) \\ .2 = (5x + 2y - 8 = 0) & .4 = (y = 2x + 20) & .6 = \left(y = -\frac{5x}{2} + 6\right) \end{bmatrix}, \begin{bmatrix} M \\ a \\ t \\ h \\ :) \\ :D \end{bmatrix}$$



•
•
•
•
•
•
•
•
•

Continue Next Page >>>


Function02 for No.13101 (continue)

```
No4 : 4.1 > S = 140      , R = 4
      : 4.2 > S = 8900   , R = 7
No5 : N = 20000      , R = 10      , Y = 2567
No6 : P = 140        , F = 17000   , V = 40      , N = 162
```

$$No7 = \begin{bmatrix} D(p) = -18p + 6262 \\ S(p) = 19p + 4079 \end{bmatrix}$$

[illegible]
$$\vdots$$

$$NoI = \left[\begin{array}{lll} .1 = (y = -4x + 3) & .3 = (y = -4x + 5) & .5 = (x + 3y - 9 = 0) \\ .2 = \left(y = \frac{2x}{3} - 6\right) & .4 = (x - y - 6 = 0) & .6 = (3x - y + 19 = 0) \end{array} \right], \left[\begin{array}{l} M \\ a \\ t \\ h \\ : \\ :D \end{array} \right]$$



•
•
•
•
•
•
•
•
•

Continue Next Page >>>

Function02 for No.13155 (continue)


```
No4 : 4.1 > S = 150      , R = 5
      : 4.2 > S = 7800   , R = 7
No5 : N = 13000      , R = 6      , Y = 2570
No6 : P = 130        , F = 20000   , V = 60      , N = 294
```

$$No7 = \begin{bmatrix} D(p) = -13p + 6359 \\ S(p) = 19p + 4983 \end{bmatrix}$$

X [Page = 0029] XX

$$:$$

$$NoI = \left[\begin{array}{lll} .1 = (y = -x - 1) & .3 = (2x - y + 18 = 0) & .5 = (y = -x + 4) \\ .2 = (2x + y - 4 = 0) & .4 = \left(y = -\frac{5x}{4} - 5\right) & .6 = (x + 2y - 12 = 0) \end{array} \right], \quad \left[\begin{array}{l} M \\ a \\ t \\ h \\ : \\ :D \end{array} \right]$$



•
•
•
•
•
•
•
•
•

Continue Next Page >>>

Function02 for No.13156 (continue)

```
No4 : 4.1 > S = 180      , R = 3
      : 4.2 > S = 6300   , R = 3
No5 : N = 22000      , R = 6      , Y = 2567
No6 : P = 130        , F = 22000   , V = 30      , N = 215
```


$$No7 = \begin{bmatrix} D(p) = -25p + 8775 \\ S(p) = 22p + 5156 \end{bmatrix}$$

X [Page = 0030] XX

$$\vdots$$

XX
X Math@MUT XXXM5/2-6300402-00031XX
Function02 for No.13158

$$NoI = \left[\begin{array}{ccc} .1 = (y + x + 2 = 0) & .3 = \left(y = \frac{x}{3} - 7 \right) & .5 = (3x + y + 3 = 0) \\ .2 = (y + x = 0) & .4 = \left(y = \frac{6x}{5} + 3 \right) & .6 = (y = 4x + 18) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



Continue Next Page >>>

.....


Function02 for No.13158 (continue)

```
No4 : 4.1 > S = 150      , R = 3
      : 4.2 > S = 6400   , R = 3
No5 : N = 20000      , R = 8      , Y = 2569
No6 : P = 130        , F = 22000   , V = 70      , N = 363
```

$$No7 = \begin{bmatrix} D(p) = -22p + 6200 \\ S(p) = 19p + 4150 \end{bmatrix}$$

X [Page = 0031] XX

$$\vdots$$

$$NoI = \left[\begin{array}{ccc} .1 = (x - 2y + 2 = 0) & .3 = (4x - y + 19 = 0) & .5 = (y = x + 1) \\ .2 = (y = x + 4) & .4 = \left(y = -\frac{5x}{3} - 4 \right) & .6 = (y + 4x - 3 = 0) \end{array} \right], \quad \left[\begin{array}{c} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$


Continue Next Page >>>

Function02 for No.13203 (continue)


```
No4 : 4.1 > S = 140      , R = 7
      : 4.2 > S = 7400   , R = 4
No5 : N = 27000      , R = 6      , Y = 2566
No6 : P = 120        , F = 20000   , V = 50      , N = 294
```

$$No7 = \begin{bmatrix} D(p) = -29p + 7229 \\ S(p) = 14p + 5036 \end{bmatrix}$$

X [Page = 0032] XX

$$\vdots$$

$$NoI = \left[\begin{array}{lll} .1 = (3x - y + 6 = 0) & .3 = (y = 3x + 3) & .5 = (2x + y - 15 = 0) \\ .2 = \left(y = -\frac{x}{3} - 6\right) & .4 = (3x - 2y + 10 = 0) & .6 = (y = x + 6) \end{array} \right], \quad \left[\begin{array}{l} M \\ a \\ t \\ h \\ :) \\ :D \end{array} \right]$$



•
•
•
•
•
•
•
•
•

Continue Next Page >>>

[illegible]