

```
X [Page = 0001] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```


$$No07 = \left[\begin{array}{l} .1 = \left[\begin{array}{l} a(x) = 4x^5 - 4x^4 + 3x^3 + 4x^2 - 3x \\ b(x) = x \end{array} \right] \\ .2 = \left[\begin{array}{l} a(x) = 4x^5 - 4x^4 + 3x^3 + 4x^2 - 3x \\ b(x) = x^4 \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 - 6 \\ b(x) = x^2 - 5 \end{array} \right] \\ .4 = \left[\begin{array}{l} a(x) = x^4 + 4x^3 - 2x^2 - 3x - 3 \\ b(x) = x + 3 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 4x^5 + 5 \\ b(x) = x^2 + 1 \end{array} \right] \\ .6 = \left[\begin{array}{l} a(x) = x^6 + 4x^3 - 5 \\ b(x) = x^3 - 1 \end{array} \right] \end{array} \right]$$

```
X [Page = 0005] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0006] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
X [Page = 0009] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
x [Page = 0010] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```


$$No0I = \begin{bmatrix} p(x) = 3x^5 + 2x^3 + 4x^2 + 4x + 1 + cx^4 \\ q(x) = -bx^5 + ax^2 + 2x^3 + 4x + 1 \end{bmatrix}$$

$$No02 = \left[\begin{array}{c} p(x) = x^2 + 5 \\ q(x) = 3x^2 - 2x - 1 \\ m = 2 \\ n = 5 \end{array} \right]$$

$$No03 = \begin{bmatrix} p(x) = x^4 - 4x - 3 \\ q(x) = x^2 - 6x + 5 \end{bmatrix}$$

$$No04 = (Eq = [x^2 + 11x + 18 = (x - a)(x - b)])$$

$$No05 = (Eq = [x^2 + 14x + 58 = (x - a)^2 + b^2])$$

$$No06 = [D(x) = x^2 - x, Q(x) = x^2 + 7, R(x) = 3x - 5]$$

$$No07 = \left[\begin{array}{l} .1 = \left[\begin{array}{l} a(x) = x^5 + x^3 + 2x^2 + 2 \\ b(x) = x \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 + 4 \\ b(x) = x^2 + 3 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 2x^5 + 3 \\ b(x) = x^2 + 1 \end{array} \right] \end{array} \right] \quad \left[\begin{array}{l} .2 = \left[\begin{array}{l} a(x) = x^5 + x^3 + 2x^2 + 2 \\ b(x) = x^3 \end{array} \right] \\ .4 = \left[\begin{array}{l} a(x) = x^4 + x^3 + 2x^2 + x + 2 \\ b(x) = x + 3 \end{array} \right] \\ .6 = \left[\begin{array}{l} a(x) = x^6 + 2x^3 + 5 \\ b(x) = x^3 + 2 \end{array} \right] \end{array} \right]$$


```
X [Page = 0016] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0017] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0018] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

$$No01 = \begin{bmatrix} p(x) = 4x - 2x^3 + 3x^5 + 2x^4 - 4x^2 + c \\ q(x) = ax^5 - bx^4 - 2x^3 - 4x^2 + 4x - 1 \end{bmatrix}$$

$$No02 = \begin{bmatrix} p(x) = x^2 - 5 \\ q(x) = 4x^2 - 3x - 5 \\ m = 5 \\ n = 4 \end{bmatrix}$$

$$No03 = \begin{bmatrix} p(x) = x^2 - 4x + 5 \\ q(x) = x^3 + 6x^2 + 3 \end{bmatrix}$$

$$No04 = (Eq = [x^2 + 14x + 48 = (x - a)(x - b)])$$

$$No05 = (Eq = [x^2 - 4x + 13 = (x - a)^2 + b^2])$$

$$No06 = [D(x) = x^2 + 1, Q(x) = x^2 - 3x, R(x) = 3x - 7]$$

$$No07 = \left[\begin{array}{l} .1 = \left[\begin{array}{l} a(x) = x^5 - 3x^4 - 2x^2 - 4 \\ b(x) = x^2 \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 - 4 \\ b(x) = x^2 - 5 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 3x^5 - 4 \\ b(x) = x^2 + 2 \end{array} \right] \end{array} \right] \quad \left[\begin{array}{l} .2 = \left[\begin{array}{l} a(x) = x^5 - 3x^4 - 2x^2 - 4 \\ b(x) = x^3 \end{array} \right] \\ .4 = \left[\begin{array}{l} a(x) = x^4 + x^3 + 4x^2 - 2x - 3 \\ b(x) = x - 3 \end{array} \right] \\ .6 = \left[\begin{array}{l} a(x) = x^6 + 5x^3 - 2 \\ b(x) = x^3 + 1 \end{array} \right] \end{array} \right]$$

```
X [Page = 0020] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0021] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0022] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
X [Page = 0024] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

$$No07 = \left[\begin{array}{l} .1 = \left[\begin{array}{l} a(x) = 4x^5 - 2x^4 - x^3 + 4x^2 + 4x + 4 \\ b(x) = x^2 \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 + 3 \\ b(x) = x^2 - 5 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 2x^5 + 5 \\ b(x) = x^2 + 1 \end{array} \right] \end{array} \right] \quad \left[\begin{array}{l} .2 = \left[\begin{array}{l} a(x) = 4x^5 - 2x^4 - x^3 + 4x^2 + 4x + 4 \\ b(x) = x^4 \end{array} \right] \\ .4 = \left[\begin{array}{l} a(x) = x^4 + 5x^3 - 3x^2 - 2x + 3 \\ b(x) = x - 3 \end{array} \right] \\ .6 = \left[\begin{array}{l} a(x) = x^6 + 6x^3 + 5 \\ b(x) = x^3 + 2 \end{array} \right] \end{array} \right]$$

$$No07 = \left[\begin{array}{l} .1 = \left[\begin{array}{l} a(x) = 2x^5 - x^4 + x^3 + x^2 + 3x - 1 \\ b(x) = x \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 + 3 \\ b(x) = x^2 - 4 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 4x^5 - 3 \\ b(x) = x^2 + 2 \end{array} \right] \end{array} \right] \quad \left[\begin{array}{l} .2 = \left[\begin{array}{l} a(x) = 2x^5 - x^4 + x^3 + x^2 + 3x - 1 \\ b(x) = x^3 \end{array} \right] \\ .4 = \left[\begin{array}{l} a(x) = x^4 + 4x^3 + 4x + 1 \\ b(x) = x - 2 \end{array} \right] \\ .6 = \left[\begin{array}{l} a(x) = x^6 + 5x^3 - 2 \\ b(x) = x^3 + 3 \end{array} \right] \end{array} \right]$$

```
X [Page = 0033] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
x [Page = 0035] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

$$No07 = \left[\begin{array}{l} .1 = \left[\begin{array}{l} a(x) = 5x^5 - 3x^3 - x^2 - 4x + 2 \\ b(x) = x^2 \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 + 3 \\ b(x) = x^2 - 1 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 2x^5 + 5 \\ b(x) = x^2 - 3 \end{array} \right] \end{array} \right] \quad \left[\begin{array}{l} .2 = \left[\begin{array}{l} a(x) = 5x^5 - 3x^3 - x^2 - 4x + 2 \\ b(x) = x^4 \end{array} \right] \\ .4 = \left[\begin{array}{l} a(x) = x^4 + 5x^3 + 3x^2 - 3x + 5 \\ b(x) = x + 2 \end{array} \right] \\ .6 = \left[\begin{array}{l} a(x) = x^6 + 2x^3 - 5 \\ b(x) = x^3 + 1 \end{array} \right] \end{array} \right]$$

[illegible]

$$No0I = \begin{bmatrix} p(x) = -2 + 3x + 5x^5 - x^3 + bx^2 \\ q(x) = 5x^5 - cx^3 - 2x^2 - a + 3x \end{bmatrix}$$

$$No02 = \left[\begin{array}{c} p(x) = x^2 - 4 \\ q(x) = 3x^2 - 3x + 2 \\ m = 5 \\ n = 3 \end{array} \right]$$

$$No03 = \begin{bmatrix} p(x) = x^2 + 6x - 6 \\ q(x) = x^4 + 6x + 4 \end{bmatrix}$$

$$No04 = (Eq = [x^2 + 2x - 8 = (x - a)(x - b)])$$

$$No05 = (Eq = [x^2 - 2x + 10 = (x - a)^2 + b^2])$$

$$No06 = [D(x) = x^2 + 5x, Q(x) = x^2 + 1, R(x) = 6x - 5]$$

$$No07 = \left[\begin{array}{l} .1 = \left[\begin{array}{l} a(x) = x^5 - x^4 - 4x^3 + x^2 + x + 4 \\ b(x) = x^2 \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 - 1 \\ b(x) = x^2 + 1 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 4x^5 - 5 \\ b(x) = x^2 + 2 \end{array} \right] \end{array} \right] \quad \left[\begin{array}{l} .2 = \left[\begin{array}{l} a(x) = x^5 - x^4 - 4x^3 + x^2 + x + 4 \\ b(x) = x^4 \end{array} \right] \\ .4 = \left[\begin{array}{l} a(x) = x^4 + 2x^3 + 3x^2 - 3x - 2 \\ b(x) = x - 2 \end{array} \right] \\ .6 = \left[\begin{array}{l} a(x) = x^6 + 3x^3 - 2 \\ b(x) = x^3 - 1 \end{array} \right] \end{array} \right]$$

[illegible]

.....

```
X [Page = 0038] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```


$$No0I = \begin{bmatrix} p(x) = 1 + 2x^5 - 2x^3 - x + ax^2 \\ q(x) = 2x^5 - 2x^3 + cx - 4x^2 - b \end{bmatrix}$$

$$No02 = \begin{bmatrix} p(x) = x^2 + 2 \\ q(x) = 3x^2 + 2x - 3 \\ m = 3 \\ n = 4 \end{bmatrix}$$

$$No03 = \begin{bmatrix} p(x) = x^2 + 4x - 2 \\ q(x) = x^4 - 5x^3 + 3 \end{bmatrix}$$

$$No04 = (Eq = [x^2 + 5x - 6 = (x - a)(x - b)])$$

$$No05 = (Eq = [x^2 - 10x + 61 = (x - a)^2 + b^2])$$

$$No06 = [D(x) = x^2 + 2, Q(x) = x^2 - x, R(x) = 4x - 7]$$

$$No07 = \left[\begin{array}{l} .1 = \left[\begin{array}{l} a(x) = 2x^5 - x^4 + 2x^2 - 2x + 2 \\ b(x) = x \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 - 3 \\ b(x) = x^2 + 1 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 4x^5 - 5 \\ b(x) = x^2 + 2 \end{array} \right] \end{array} \right] \quad \left[\begin{array}{l} .2 = \left[\begin{array}{l} a(x) = 2x^5 - x^4 + 2x^2 - 2x + 2 \\ b(x) = x^3 \end{array} \right] \\ .4 = \left[\begin{array}{l} a(x) = x^4 + 3x^3 - x^2 + 2x - 2 \\ b(x) = x + 2 \end{array} \right] \\ .6 = \left[\begin{array}{l} a(x) = x^6 + 3x^3 - 2 \\ b(x) = x^3 - 1 \end{array} \right] \end{array} \right]$$

$$No07 = \left[\begin{array}{l} .1 = \left[\begin{array}{l} a(x) = 3x^5 - 3x^3 + x^2 + 2x - 2 \\ b(x) = x^2 \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 + 5 \\ b(x) = x^2 - 3 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 2x^5 - 3 \\ b(x) = x^2 + 2 \end{array} \right] \end{array} \right] \quad \left[\begin{array}{l} .2 = \left[\begin{array}{l} a(x) = 3x^5 - 3x^3 + x^2 + 2x - 2 \\ b(x) = x^4 \end{array} \right] \\ .4 = \left[\begin{array}{l} a(x) = x^4 + 3x^3 + 2x^2 - x - 2 \\ b(x) = x - 3 \end{array} \right] \\ .6 = \left[\begin{array}{l} a(x) = x^6 + 5x^3 - 3 \\ b(x) = x^3 - 1 \end{array} \right] \end{array} \right]$$


```
X [Page = 0046] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0047] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```


[illegible]

$$No0I = \begin{bmatrix} p(x) = 4 - 2x^4 - 2x^3 + ax^2 - bx^5 \\ q(x) = 4x^5 + cx^3 - 2x^4 - 3x^2 + 4 \end{bmatrix}$$

$$No02 = \begin{bmatrix} p(x) = x^2 + 1 \\ q(x) = 4x^2 + x - 3 \\ m = 5 \\ n = 3 \end{bmatrix}$$

$$No03 = \begin{bmatrix} p(x) = x^4 - 4x - 3 \\ q(x) = x^2 - 5x + 6 \end{bmatrix}$$

$$No04 = (Eq = [x^2 - 3x - 4 = (x - a)(x - b)])$$

$$No05 = (Eq = [x^2 - 10x + 26 = (x - a)^2 + b^2])$$

$$No06 = [D(x) = x^2 - 6x, Q(x) = x^2 + 1, R(x) = 6x + 1]$$

$$No07 = \left[\begin{array}{l} .1 = \left[\begin{array}{l} a(x) = 4x^5 - 3x^4 + 2x^3 + 4 \\ b(x) = x^2 \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 + 5 \\ b(x) = x^2 - 5 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 3x^5 + 2 \\ b(x) = x^2 - 1 \end{array} \right] \end{array} \right] \quad \left[\begin{array}{l} .2 = \left[\begin{array}{l} a(x) = 4x^5 - 3x^4 + 2x^3 + 4 \\ b(x) = x^3 \end{array} \right] \\ .4 = \left[\begin{array}{l} a(x) = x^4 + x^3 + 2x^2 - 4x + 1 \\ b(x) = x + 2 \end{array} \right] \\ .6 = \left[\begin{array}{l} a(x) = x^6 + 4x^3 - 5 \\ b(x) = x^3 + 3 \end{array} \right] \end{array} \right]$$

```
X [Page = 0051] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
X [Page = 0053] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0054] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```


[illegible]