

[illegible]

```
X [Page = 0002] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0003] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0004] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
x [Page = 0006] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0007] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
X [Page = 0009] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0010] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
x [Page = 0011] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
X [Page = 0014] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0015] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0016] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
X [Page = 0019] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0020] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0021] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

$$No0I = \begin{bmatrix} p(x) = a x^5 + 3 x^4 + 4 x^3 - b x - 4 x^2 + 2 \\ q(x) = 2 x - 4 x^2 + x^5 + 3 x^4 + 2 + c x^3 \end{bmatrix}$$

$$No02 = \begin{bmatrix} p(x) = x^2 - 3 \\ q(x) = 2x^2 + 5x - 1 \\ m = 2 \\ n = 5 \end{bmatrix}$$

$$No03 = \begin{bmatrix} p(x) = x^2 - 5x + 5 \\ q(x) = x^3 + 6x + 2 \end{bmatrix}$$

$$No04 = (Eq = [x^2 - 3x - 18 = (x - a)(x - b)])$$

$$No05 = (Eq = [x^2 + 10x + 34 = (x - a)^2 + b^2])$$

$$No06 = [D(x) = x^2 + 5, Q(x) = x^2 + 6x, R(x) = 5x - 7]$$

$$No07 = \left[\begin{array}{l} .1 = \left[\begin{array}{l} a(x) = x^5 - 3x^3 - x^2 - 4x \\ b(x) = x^2 \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 + 6 \\ b(x) = x^2 - 5 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 3x^5 - 2 \\ b(x) = x^2 - 1 \end{array} \right] \end{array} \right] \quad \left[\begin{array}{l} .2 = \left[\begin{array}{l} a(x) = x^5 - 3x^3 - x^2 - 4x \\ b(x) = x^3 \end{array} \right] \\ .4 = \left[\begin{array}{l} a(x) = x^4 + 5x^3 + 3x^2 + 3 \\ b(x) = x - 3 \end{array} \right] \\ .6 = \left[\begin{array}{l} a(x) = x^6 + 2x^3 + 3 \\ b(x) = x^3 - 3 \end{array} \right] \end{array} \right]$$

```
X [Page = 0023] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
x [Page = 0029] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
X [Page = 0031] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```


[illegible]

$$No0I = \begin{bmatrix} p(x) = 2x^3 - 2x^4 + x^2 + bx^5 \\ q(x) = -cx^4 + x^5 + ax^2 + 2x^3 \end{bmatrix}$$

$$No02 = \begin{bmatrix} p(x) = x^2 + 1 \\ q(x) = 4x^2 - 5x + 5 \\ m = 2 \\ n = 3 \end{bmatrix}$$

$$No03 = \begin{bmatrix} p(x) = x^2 - 3x - 5 \\ q(x) = x^3 - 5x + 5 \end{bmatrix}$$

$$No04 = (Eq = [x^2 - 10x + 16 = (x - a)(x - b)])$$

$$No05 = (Eq = [x^2 - 12x + 52 = (x - a)^2 + b^2])$$

$$No06 = [D(x) = x^2 + 2, Q(x) = x^2 + 4x, R(x) = 2x - 1]$$

$$No07 = \left[\begin{array}{l} .1 = \left[\begin{array}{l} a(x) = x^5 + 3x^4 - 2x^3 + x - 1 \\ b(x) = x^2 \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 + 3 \\ b(x) = x^2 + 1 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 2x^5 + 5 \\ b(x) = x^2 - 2 \end{array} \right] \end{array} \right] \quad \left[\begin{array}{l} .2 = \left[\begin{array}{l} a(x) = x^5 + 3x^4 - 2x^3 + x - 1 \\ b(x) = x^3 \end{array} \right] \\ .4 = \left[\begin{array}{l} a(x) = x^4 + 2x^3 - x - 1 \\ b(x) = x - 2 \end{array} \right] \\ .6 = \left[\begin{array}{l} a(x) = x^6 + 3x^3 + 5 \\ b(x) = x^3 + 3 \end{array} \right] \end{array} \right]$$

[illegible]

.....

```
X [Page = 0034] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0035] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
X [Page = 0037] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0038] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0039] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
x [Page = 0040] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0041] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0042] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0043] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
X [Page = 0045] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```


$$No07 = \left[\begin{array}{ll} .1 = \left[\begin{array}{l} a(x) = 3x^5 + 2x^2 - 4 \\ b(x) = x^2 \end{array} \right] & .2 = \left[\begin{array}{l} a(x) = 3x^5 + 2x^2 - 4 \\ b(x) = x^4 \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 + 5 \\ b(x) = x^2 + 1 \end{array} \right] & .4 = \left[\begin{array}{l} a(x) = x^4 + x^3 + 2x^2 - 4x - 4 \\ b(x) = x + 2 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 2x^5 + 5 \\ b(x) = x^2 - 2 \end{array} \right] & .6 = \left[\begin{array}{l} a(x) = x^6 + 5x^3 + 4 \\ b(x) = x^3 - 2 \end{array} \right] \end{array} \right]$$

```
x [Page = 0048] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
X [Page = 0051] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
X [Page = 0053] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0054] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0055] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
x [Page = 0057] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

[illegible]

$$No0I = \begin{bmatrix} p(x) = -4 + 3x^5 + x^2 + 2x - bx^3 \\ q(x) = -ax^4 + 3x^5 + cx^2 + 2x - 4 \end{bmatrix}$$

$$No02 = \begin{bmatrix} p(x) = x^2 + 3 \\ q(x) = 2x^2 - 4x + 1 \\ m = 5 \\ n = 2 \end{bmatrix}$$

$$No03 = \begin{bmatrix} p(x) = x^3 + 2x^2 - 6 \\ q(x) = x^2 + 4x + 2 \end{bmatrix}$$

$$No04 = (Eq = [x^2 - x - 72 = (x - a)(x - b)])$$

$$No05 = (Eq = [x^2 + 8x + 20 = (x - a)^2 + b^2])$$

$$No06 = [D(x) = x^2 - 4, Q(x) = x^2 - 7x, R(x) = 3x + 1]$$

$$No07 = \left[\begin{array}{ll} .1 = \left[\begin{array}{l} a(x) = 3x^5 - 2x^4 + 3x \\ b(x) = x \end{array} \right] & .2 = \left[\begin{array}{l} a(x) = 3x^5 - 2x^4 + 3x \\ b(x) = x^4 \end{array} \right] \\ .3 = \left[\begin{array}{l} a(x) = x^3 + 6 \\ b(x) = x^2 + 4 \end{array} \right] & .4 = \left[\begin{array}{l} a(x) = x^4 + 4x^3 - 1 \\ b(x) = x - 2 \end{array} \right] \\ .5 = \left[\begin{array}{l} a(x) = 3x^5 + 2 \\ b(x) = x^2 - 1 \end{array} \right] & .6 = \left[\begin{array}{l} a(x) = x^6 + 3x^3 + 2 \\ b(x) = x^3 + 1 \end{array} \right] \end{array} \right]$$

[illegible][illegible]


```
X [Page = 0060] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

```
X [Page = 0061] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```



```
X [Page = 0064] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

[illegible]