

XX
X Math@MUT XXXM6/1-6400502-00001XX
LimitExercise01 for No.9012

$$NoI = \left[f(x) = \frac{1-x}{\sqrt{x-1}}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	..	a =	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{3|x|}{x^2 + 3x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	---	---	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{6 - 6e^x}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x^2 - 16}{x - 4}, a = 4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	...	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{\cos(x) - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -3, \beta = -2, \gamma = 0, \delta = 2, \varepsilon = 11]$$

[illegible]

• • • • •

XXX
 X Math@MUT XXM6/1-6400502-00002XX
 LimitExercise01 for No.9016

$$NoI = \left[f(x) = \frac{\sqrt{x-1}}{-1+x}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	..	a =	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{6x}{x^2 + 3x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{6x}{1 - e^x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{\cos(x) - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{-7x + x^2 + 12}{x - 4}, a = 4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	..	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -8, \beta = -6, \gamma = -2, \delta = 2, \varepsilon = 4]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6400502-00003XX
LimitExercise01 for No.9018

$$NoI = \left[f(x) = \frac{6 - 6e^x}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{x-4}{-2x+x^2-8}, a=4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	..	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{\cos(x) - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{7 - \sqrt{x}}{x - 49}, a = 49 \right]$$

x	48.8000	48.9000	48.9900	48.9990	48.9999	...	a = 49	...	49.0001	49.0010	49.0100	49.1000	49.2000
---	---------	---------	---------	---------	---------	-----	--------	-----	---------	---------	---------	---------	---------

$$No5 = \left[f(x) = \frac{2|x|}{x^2 + 2x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -12, \beta = -9, \gamma = -6, \delta = 2, \varepsilon = 12]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6400502-00005XX
LimitExercise01 for No.9037

$$NoI = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{-x - 30 + x^2}{-6 + x}, a = 6 \right]$$

x	5.8000	5.9000	5.9900	5.9990	5.9999	..	a = 6	...	6.0001	6.0010	6.0100	6.1000	6.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{6x}{1 - e^x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{\sqrt{x-2}}{4-x}, a = 4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	...	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{6x}{x^2 + 3x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No6 = [\alpha = -11, \beta = -9, \gamma = -4, \delta = 2, \varepsilon = 4]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6400502-00006XX
LimitExercise01 for No.9138

$$NoI = \left[f(x) = \frac{8 - \sqrt{x}}{x - 64}, a = 64 \right]$$

x	63.8000	63.9000	63.9900	63.9990	63.9999	..	a = 64	...	64.0001	64.0010	64.0100	64.1000	64.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No2 = \left[f(x) = \frac{6 - 6e^x}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{14 - 9x + x^2}{-2 + x}, a = 2 \right]$$

x	1.8000	1.9000	1.9900	1.9990	1.9999	...	a = 2	...	2.0001	2.0010	2.0100	2.1000	2.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{x^2 + 3x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -12, \beta = -4, \gamma = -2, \delta = -1, \varepsilon = 7]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6400502-00010XX
LimitExercise01 for No.11738

$$NoI = \left[f(x) = \frac{2e^x - 2}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{2|x|}{x^2 + x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{-11x + x^2 + 28}{x - 4}, a = 4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	..	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{8 - \sqrt{x}}{64 - x}, a = 64 \right]$$

x	63.8000	63.9000	63.9900	63.9990	63.9999	..	a = 64	...	64.0001	64.0010	64.0100	64.1000	64.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No6 = [\alpha = -11, \beta = -2, \gamma = 5, \delta = 8, \varepsilon = 10]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6400502-00011XX
LimitExercise01 for No.11754

$$NoI = \left[f(x) = \frac{-2+x}{10-7x+x^2}, a=2 \right]$$

x	1.8000	1.9000	1.9900	1.9990	1.9999	...	a = 2	...	2.0001	2.0010	2.0100	2.1000	2.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{x^2 + 2x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{-1+x}{\sqrt{x-1}}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	...	a =	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{5x}{1 - e^x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -12, \beta = -11, \gamma = -6, \delta = -3, \varepsilon = 0]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6400502-00012XX
LimitExercise01 for No.11841

$$NoI = \left[f(x) = \frac{7 - \sqrt{x}}{49 - x}, a = 49 \right]$$

x	48.8000	48.9000	48.9900	48.9990	48.9999	..	a = 49	...	49.0001	49.0010	49.0100	49.1000	49.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No2 = \left[f(x) = \frac{3x}{e^x - 1}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{\sin(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x^2 + 2x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...		0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{2 - 3x + x^2}{-2 + x}, a = 2 \right]$$

x	1.8000	1.9000	1.9900	1.9990	1.9999	..	a = 2	...	2.0001	2.0010	2.0100	2.1000	2.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -6, \beta = -3, \gamma = 1, \delta = 9, \varepsilon = 11]$$

[illegible]

⋮

XX
X Math@MUT XXXM6/1-6400502-00013XX
LimitExercise01 for No.11842

$$NoI = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{7 - 7e^x}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{2 - \sqrt{x}}{4 - x}, a = 4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	...	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x^2 + x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...		0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{-3+x}{6-5x+x^2}, a=3 \right]$$

x	2.8000	2.9000	2.9900	2.9990	2.9999	...	a = 3	...	3.0001	3.0010	3.0100	3.1000	3.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -4, \beta = 1, \gamma = 3, \delta = 4, \varepsilon = 5]$$

[illegible][illegible]

XX
X Math@MUT XXM6/1-6400502-00014XX
LimitExercise01 for No.11901

$$NoI = \left[f(x) = \frac{e^x - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{-5 + x}{-9x + 20 + x^2}, a = 5 \right]$$

x	4.8000	4.9000	4.9900	4.9990	4.9999	..	a = 5	...	5.0001	5.0010	5.0100	5.1000	5.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{6 - \sqrt{x}}{x - 36}, a = 36 \right]$$

x	35.8000	35.9000	35.9900	35.9990	35.9999	..	a = 36	...	36.0001	36.0010	36.0100	36.1000	36.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No4 = \left[f(x) = \frac{2|x|}{x^2 + 2x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -12, \beta = -6, \gamma = 1, \delta = 4, \varepsilon = 11]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6400502-00015XX
LimitExercise01 for No.11947

$$NoI = \left[f(x) = \frac{x^2 - 16}{x - 4}, a = 4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	..	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{4x}{e^x - 1}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{x^2 + 2x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{49 - x}{7 - \sqrt{x}}, a = 49 \right]$$

x	48.8000	48.9000	48.9900	48.9990	48.9999	...	a = 49	...	49.0001	49.0010	49.0100	49.1000	49.2000
---	---------	---------	---------	---------	---------	-----	--------	-----	---------	---------	---------	---------	---------

$$No6 = [\alpha = -9, \beta = -8, \gamma = 0, \delta = 8, \varepsilon = 12]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6400502-00018XX
LimitExercise01 for No.12889

$$NoI = \left[f(x) = \frac{1-x}{\sqrt{x-1}}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	...	a	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	-----	---	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{-1 + x}{-6 + 5x + x^2}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	...	a =	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{4x}{x^2 + 2x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{6e^x - 6}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -3, \beta = -2, \gamma = -1, \delta = 0, \varepsilon = 7]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6400502-00020XX
LimitExercise01 for No.12891

$$NoI = \left[f(x) = \frac{3|x|}{x^2 + x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{1-x}{1-\sqrt{x}}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	...	a = 1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{2x}{1 - e^x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{5 - 6x + x^2}{-5 + x}, a = 5 \right]$$

x	4.8000	4.9000	4.9900	4.9990	4.9999	...	a = 5	...	5.0001	5.0010	5.0100	5.1000	5.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -8, \beta = -6, \gamma = 4, \delta = 5, \varepsilon = 9]$$

[illegible]

.....

XXX
X Math@MUT XXM6/1-6400502-00022XX
LimitExercise01 for No.13099

$$NoI = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
f(x)	0.9801	0.9801	0.9801	0.9801	0.9801	..	0.9801	=	0.9801	0.9801	0.9801	0.9801	0.9801	0.9801	0.9801
g(x)	0.9603	0.9603	0.9603	0.9603	0.9603	..	0.9603	=	0.9603	0.9603	0.9603	0.9603	0.9603	0.9603	0.9603
h(x)	0.9406	0.9406	0.9406	0.9406	0.9406	..	0.9406	=	0.9406	0.9406	0.9406	0.9406	0.9406	0.9406	0.9406
i(x)	0.9209	0.9209	0.9209	0.9209	0.9209	..	0.9209	=	0.9209	0.9209	0.9209	0.9209	0.9209	0.9209	0.9209
j(x)	0.9012	0.9012	0.9012	0.9012	0.9012	..	0.9012	=	0.9012	0.9012	0.9012	0.9012	0.9012	0.9012	0.9012
k(x)	0.8815	0.8815	0.8815	0.8815	0.8815	..	0.8815	=	0.8815	0.8815	0.8815	0.8815	0.8815	0.8815	0.8815
l(x)	0.8617	0.8617	0.8617	0.8617	0.8617	..	0.8617	=	0.8617	0.8617	0.8617	0.8617	0.8617	0.8617	0.8617
m(x)	0.8420	0.8420	0.8420	0.8420	0.8420	..	0.8420	=	0.8420	0.8420	0.8420	0.8420	0.8420	0.8420	0.8420
n(x)	0.8223	0.8223	0.8223	0.8223	0.8223	..	0.8223	=	0.8223	0.8223	0.8223	0.8223	0.8223	0.8223	0.8223
o(x)	0.8026	0.8026	0.8026	0.8026	0.8026	..	0.8026	=	0.8026	0.8026	0.8026	0.8026	0.8026	0.8026	0.8026
p(x)	0.7828	0.7828	0.7828	0.7828	0.7828	..	0.7828	=	0.7828	0.7828	0.7828	0.7828	0.7828	0.7828	0.7828
q(x)	0.7631	0.7631	0.7631	0.7631	0.7631	..	0.7631	=	0.7631	0.7631	0.7631	0.7631	0.7631	0.7631	0.7631
r(x)	0.7434	0.7434	0.7434	0.7434	0.7434	..	0.7434	=	0.7434	0.7434	0.7434	0.7434	0.7434	0.7434	0.7434
s(x)	0.7237	0.7237	0.7237	0.7237	0.7237	..	0.7237	=	0.7237	0.7237	0.7237	0.7237	0.7237	0.7237	0.7237
t(x)	0.7039	0.7039	0.7039	0.7039	0.7039	..	0.7039	=	0.7039	0.7039	0.7039	0.7039	0.7039	0.7039	0.7039
u(x)	0.6842	0.6842	0.6842	0.6842	0.6842	..	0.6842	=	0.6842	0.6842	0.6842	0.6842	0.6842	0.6842	0.6842
v(x)	0.6645	0.6645	0.6645	0.6645	0.6645	..	0.6645	=	0.6645	0.6645	0.6645	0.6645	0.6645	0.6645	0.6645
w(x)	0.6448	0.6448	0.6448	0.6448	0.6448	..	0.6448	=	0.6448	0.6448	0.6448	0.6448	0.6448	0.6448	0.6448
x(x)	0.6250	0.6250	0.6250	0.6250	0.6250	..	0.6250	=	0.6250	0.6250	0.6250	0.6250	0.6250	0.6250	0.6250
y(x)	0.6053	0.6053	0.6053	0.6053	0.6053	..	0.6053	=	0.6053	0.6053	0.6053	0.6053	0.6053	0.6053	0.6053
z(x)	0.5856	0.5856	0.5856	0.5856	0.5856	..	0.5856	=	0.5856	0.5856	0.5856	0.5856	0.5856	0.5856	0.5856
A(x)	0.5659	0.5659	0.5659	0.5659	0.5659	..	0.5659	=	0.5659	0.5659	0.5659	0.5659	0.5659	0.5659	0.5659
B(x)	0.5461	0.5461	0.5461	0.5461	0.5461	..	0.5461	=	0.5461	0.5461	0.5461	0.5461	0.5461	0.5461	0.5461
C(x)	0.5264	0.5264	0.5264	0.5264	0.5264	..	0.5264	=	0.5264	0.5264					

$$No2 = \left[f(x) = \frac{-6x + 8 + x^2}{-2 + x}, a = 2 \right]$$

x	1.8000	1.9000	1.9900	1.9990	1.9999	..	a = 2	...	2.0001	2.0010	2.0100	2.1000	2.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{6e^x - 6}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{9x}{x^2 + 3x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{4 - \sqrt{x}}{16 - x}, a = 16 \right]$$

x	15.8000	15.9000	15.9900	15.9990	15.9999	..	a = 16	...	16.0001	16.0010	16.0100	16.1000	16.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No6 = [\alpha = -1, \beta = 2, \gamma = 6, \delta = 9, \varepsilon = 10]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6400502-00023XX
LimitExercise01 for No.13100

$$NoI = \left[f(x) = \frac{x^2 + 2x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{-7x + x^2 + 12}{x - 4}, a = 4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	...	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{-1+x}{\sqrt{x-1}}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	...	a =	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{7x}{e^x - 1}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -11, \beta = -8, \gamma = -2, \delta = 0, \varepsilon = 4]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6400502-00024XX
LimitExercise01 for No.13411

$$NoI = \left[f(x) = \frac{\sqrt{x-2}}{x-4}, a = 4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	..	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{\cos(x) - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{6|x|}{x^2 + 3x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x^2 - 16}{x - 4}, a = 4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	..	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{3x}{e^x - 1}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -11, \beta = -8, \gamma = -1, \delta = 0, \varepsilon = 4]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6400502-00025XX
LimitExercise01 for No.646101

$$NoI = \left[f(x) = \frac{-2+x}{-4+x^2}, a=2 \right]$$

x	1.8000	1.9000	1.9900	1.9990	1.9999	..	a = 2	...	2.0001	2.0010	2.0100	2.1000	2.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{\cos(x) - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{3 - \sqrt{x}}{-9 + x}, a = 9 \right]$$

x	8.8000	8.9000	8.9900	8.9990	8.9999	..	a = 9	...	9.0001	9.0010	9.0100	9.1000	9.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{7e^x - 7}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{x^2 + x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -1, \beta = 1, \gamma = 7, \delta = 9, \varepsilon = 10]$$

[illegible]

.....

XX
X Math@MUT XXM6/1-6400502-00027XX
LimitExercise01 for No.646103

$$NoI = \left[f(x) = \frac{3x}{1 - e^x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{x^2 + 2x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{64 - x}{8 - \sqrt{x}}, a = 64 \right]$$

x	63.8000	63.9000	63.9900	63.9990	63.9999	..	a = 64	...	64.0001	64.0010	64.0100	64.1000	64.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No4 = \left[f(x) = \frac{-3+x}{-3-2x+x^2}, a=3 \right]$$

x	2.8000	2.9000	2.9900	2.9990	2.9999	..	a = 3	...	3.0001	3.0010	3.0100	3.1000	3.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -8, \beta = 2, \gamma = 3, \delta = 5, \varepsilon = 8]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6400502-00028XX
LimitExercise01 for No.646104

$$NoI = \left[f(x) = \frac{x}{1 - e^x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{-6 + 5x + x^2}{-1 + x}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	...	a =	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{-9+x}{3-\sqrt{x}}, a=9 \right]$$

x	8.8000	8.9000	8.9900	8.9990	8.9999	...	a = 9	...	9.0001	9.0010	9.0100	9.1000	9.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{x^2 + 3x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -12, \beta = -9, \gamma = -8, \delta = -3, \varepsilon = 7]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6400502-00031XX
LimitExercise01 for No.646107

$$NoI = \left[f(x) = \frac{9x}{x^2 + 3x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{\sin(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{-6 + x}{-10x + 24 + x^2}, a = 6 \right]$$

x	5.8000	5.9000	5.9900	5.9990	5.9999	..	a = 6	...	6.0001	6.0010	6.0100	6.1000	6.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{3 - \sqrt{x}}{9 - x}, a = 9 \right]$$

x	8.8000	8.9000	8.9900	8.9990	8.9999	..	a = 9	...	9.0001	9.0010	9.0100	9.1000	9.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{7x}{1 - e^x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -12, \beta = -9, \gamma = -8, \delta = -3, \varepsilon = 11]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6400502-00032XX
LimitExercise01 for No.646108

$$NoI = \left[f(x) = \frac{x}{\sin(x)}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	-------	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{x^2 + 3x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{-7+x}{-42-x+x^2}, a=7 \right]$$

x	6.8000	6.9000	6.9900	6.9990	6.9999	..	a = 7	...	7.0001	7.0010	7.0100	7.1000	7.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x-64}{\sqrt{x-8}}, a = 64 \right]$$

x	63.8000	63.9000	63.9900	63.9990	63.9999	..	a = 64	...	64.0001	64.0010	64.0100	64.1000	64.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No5 = \left[f(x) = \frac{2x}{e^x - 1}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -11, \beta = -2, \gamma = 5, \delta = 7, \varepsilon = 8]$$

[illegible]

.....

XXX
X Math@MUT XXM6/1-6400502-00035XX
LimitExercise01 for No.646111

$$NoI = \left[f(x) = \frac{\sqrt{x-7}}{x-49}, a = 49 \right]$$

x	48.8000	48.9000	48.9900	48.9990	48.9999	..	a = 49	...	49.0001	49.0010	49.0100	49.1000	49.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No2 = \left[f(x) = \frac{7e^x - 7}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{x^2 + 2x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{-3 + x}{-6 - x + x^2}, a = 3 \right]$$

x	2.8000	2.9000	2.9900	2.9990	2.9999	...	a = 3	...	3.0001	3.0010	3.0100	3.1000	3.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{\cos(x) - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -10, \beta = -1, \gamma = 2, \delta = 4, \varepsilon = 6]$$

```
X [Page = 0035] XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:  
:
```

XX
X Math@MUT XXM6/1-6400502-00036XX
LimitExercise01 for No.646112

$$NoI = \left[f(x) = \frac{3x}{1 - e^x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{-6x + 8 + x^2}{-2 + x}, a = 2 \right]$$

x	1.8000	1.9000	1.9900	1.9990	1.9999	...	a = 2	...	2.0001	2.0010	2.0100	2.1000	2.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x^2 + 3x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{x-4}{2-\sqrt{x}}, a=4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	...	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = 0, \beta = 1, \gamma = 5, \delta = 6, \varepsilon = 12]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6400502-00037XX
LimitExercise01 for No.646113

$$NoI = \left[f(x) = \frac{x^2 + x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{5e^x - 5}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{-1+x}{-3+2x+x^2}, a=1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	..	a =	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{\sqrt{x-3}}{9-x}, a = 9 \right]$$

x	8.8000	8.9000	8.9900	8.9990	8.9999	..	a = 9	...	9.0001	9.0010	9.0100	9.1000	9.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -8, \beta = -4, \gamma = 0, \delta = 4, \varepsilon = 6]$$

[illegible]

.....

XXX
X Math@MUT XXM6/1-6400502-00039XX
LimitExercise01 for No.646115

$$NoI = \left[f(x) = \frac{16-x}{4-\sqrt{x}}, a = 16 \right]$$

x	15.8000	15.9000	15.9900	15.9990	15.9999	..	a = 16	...	16.0001	16.0010	16.0100	16.1000	16.2000
---	---------	---------	---------	---------	---------	----	--------	-----	---------	---------	---------	---------	---------

$$No2 = \left[f(x) = \frac{6|x|}{x^2 + 2x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{5e^x - 5}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{-7+x}{7-8x+x^2}, a=7 \right]$$

x	6.8000	6.9000	6.9900	6.9990	6.9999	...	a = 7	...	7.0001	7.0010	7.0100	7.1000	7.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -12, \beta = -6, \gamma = -1, \delta = 0, \varepsilon = 11]$$

[illegible]

• • • • •

XX
X Math@MUT XXXM6/1-6400502-00041XX
LimitExercise01 for No.646117

$$NoI = \left[f(x) = \frac{3|x|}{x^2 + x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{-5 + x}{-30 + x + x^2}, a = 5 \right]$$

x	4.8000	4.9000	4.9900	4.9990	4.9999	...	a = 5	...	5.0001	5.0010	5.0100	5.1000	5.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{9-x}{\sqrt{x-3}}, a=9 \right]$$

x	8.8000	8.9000	8.9900	8.9990	8.9999	...	a = 9	...	9.0001	9.0010	9.0100	9.1000	9.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{6x}{e^x - 1}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	---	---	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{\cos(x) - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -4, \beta = -1, \gamma = 2, \delta = 4, \varepsilon = 10]$$

[illegible]

.....

XX
X Math@MUT XXXM6/1-6400502-00043XX
LimitExercise01 for No.646119

$$NoI = \left[f(x) = \frac{1 - \sqrt{x}}{1 - x}, a = 1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	...	a	1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	-----	---	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{4|x|}{x^2 + 2x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	---	---	---	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{\cos(x) - 1}{x}, a = 0 \right]$$

| x | -0.2000 | -0.1000 | -0.0100 | -0.0010 | -0.0001 | .. | a = 0 | ... | 0.0001 | 0.0010 | 0.0100 | 0.1000 | 0.2000 |

$$No4 = \left[f(x) = \frac{3 - 3e^x}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	...	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	-----	-----	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{-2+x}{12-8x+x^2}, a=2 \right]$$

x	1.8000	1.9000	1.9900	1.9990	1.9999	...	a = 2	...	2.0001	2.0010	2.0100	2.1000	2.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -12, \beta = -9, \gamma = 5, \delta = 11, \varepsilon = 12]$$

[illegible]

.....

XX
X Math@MUT XXM6/1-6400502-00052XX
LimitExercise01 for No.646128

$$NoI = \left[f(x) = \frac{6|x|}{x^2 + 2x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{-5 - 4x + x^2}{-5 + x}, a = 5 \right]$$

x	4.8000	4.9000	4.9900	4.9990	4.9999	..	a = 5	...	5.0001	5.0010	5.0100	5.1000	5.2000
---	--------	--------	--------	--------	--------	----	-------	-----	--------	--------	--------	--------	--------

$$No3 = \left[f(x) = \frac{x-4}{\sqrt{x-2}}, a=4 \right]$$

x	3.8000	3.9000	3.9900	3.9990	3.9999	...	a = 4	...	4.0001	4.0010	4.0100	4.1000	4.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{1 - \cos(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{x}{e^x - 1}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -11, \beta = 2, \gamma = 7, \delta = 10, \varepsilon = 12]$$

[illegible][illegible]

XX
X Math@MUT XXXM6/1-6400502-00053XX
LimitExercise01 for No.646129

$$NoI = \left[f(x) = \frac{\sin(x)}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{\sqrt{x-5}}{x-25}, a = 25 \right]$$

x	24.8000	24.9000	24.9900	24.9990	24.9999	...	a = 25	...	25.0001	25.0010	25.0100	25.1000	25.2000
---	---------	---------	---------	---------	---------	-----	--------	-----	---------	---------	---------	---------	---------

$$No3 = \left[f(x) = \frac{15 - 8x + x^2}{-3 + x}, a = 3 \right]$$

x	2.8000	2.9000	2.9900	2.9990	2.9999	...	a = 3	...	3.0001	3.0010	3.0100	3.1000	3.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x}{e^x - 1}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a	=	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	---	---	---	-----	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{x^2 + x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...		0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--	--------	--------	--------	--------	--------

$$No6 = [\alpha = -6, \beta = -2, \gamma = 1, \delta = 2, \varepsilon = 6]$$

[illegible][illegible]

XXX
X Math@MUT XXXM6/1-6400502-00054XX
LimitExercise01 for No.646130

$$NoI = \left[f(x) = \frac{4x}{e^x - 1}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001 ..	a =	0 ...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	------------	-----	-------	--------	--------	--------	--------	--------

$$No2 = \left[f(x) = \frac{6 - \sqrt{x}}{x - 36}, a = 36 \right]$$

x	35.8000	35.9000	35.9900	35.9990	35.9999	...	a = 36	...	36.0001	36.0010	36.0100	36.1000	36.2000
---	---------	---------	---------	---------	---------	-----	--------	-----	---------	---------	---------	---------	---------

$$No3 = \left[f(x) = \frac{-1+x}{3x-4+x^2}, a=1 \right]$$

x	0.8000	0.9000	0.9900	0.9990	0.9999	...	a = 1	...	1.0001	1.0010	1.0100	1.1000	1.2000
---	--------	--------	--------	--------	--------	-----	-------	-----	--------	--------	--------	--------	--------

$$No4 = \left[f(x) = \frac{x^2 + x}{|x|}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...		0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--	--------	--------	--------	--------	--------

$$No5 = \left[f(x) = \frac{\cos(x) - 1}{x}, a = 0 \right]$$

x	-0.2000	-0.1000	-0.0100	-0.0010	-0.0001	..	a =	0	...	0.0001	0.0010	0.0100	0.1000	0.2000
---	---------	---------	---------	---------	---------	----	-----	---	-----	--------	--------	--------	--------	--------

$$No6 = [\alpha = -10, \beta = -8, \gamma = 0, \delta = 5, \varepsilon = 11]$$

[illegible][illegible]

[illegible]