

[illegible]

```
Ans1 : .1 > black
      : .2 > blue
      : .3 > yellow
      : .4 > gray
      : .5 > green
      : .6 > red
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-49, \infty)$	$(-\infty, 4)$	$(-9, \infty)$	$(-\infty, 0)$
.4	$(-6, 0), (8, 0)$	$(-1, 0), (3, 0)$	$(2, 0), (8, 0)$	$(5, 0)$
.5	$(1, -49)$	$(1, 4)$	$(5, -9)$	$(5, 0)$
.6	Minimum	Maximum	Minimum	Maximum
.7	min = -49	max = 4	min = -9	max = 0

$$Ans6 = \begin{bmatrix} .I = [P(x) = (400 - 0.5 x) x] \\ .2 = [400.00, 80000] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (6000 + 500 x) (120 - x)] \\ .2 = \{13500, 52500\} \\ .3 = [33000, 2178000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x (x + 9) \end{bmatrix} \\ .3 = 10 \\ .4 = 7 \\ .5 = \begin{bmatrix} AS = 9 \\ AR = 36 \end{bmatrix} \\ .6 = [f(x) = 9 x] \end{bmatrix}$$

[illegible]

.....

.....

.....

.....

[illegible]

```
Ans1 : .1 > green
      : .2 > gray
      : .3 > yellow
      : .4 > blue
      : .5 > red
      : .6 > black
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-49, \infty)$	$(-\infty, 9)$	$(-\infty, 0)$	$(-\infty, 9)$
.4	$(-8, 0), (6, 0)$	$(-4, 0), (2, 0)$	$(-9, 0)$	$(-6, 0), (0, 0)$
.5	$(-1, -49)$	$(-1, 9)$	$(-9, 0)$	$(-3, 9)$
.6	Minimum	Maximum	Maximum	Maximum
.7	min = -49	max = 9	max = 0	max = 9

$$Ans6 = \begin{bmatrix} .I = [P(x) = (300 - 0.2x)x] \\ .2 = [750.00, 112500] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (3000 + 300x)(110 - x)] \\ .2 = \{7200, 28800\} \\ .3 = [18000, 1080000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x(x + 9) \end{bmatrix} \\ .3 = 10 \\ .4 = 8 \\ .5 = \begin{bmatrix} AS = 64 \\ AR = 136 \end{bmatrix} \\ .6 = [f(x) = 9x] \end{bmatrix}$$

[illegible]

.....

.....

.....

[illegible]

```
Ans1 : .1 > yellow
      : .2 > red
      : .3 > gray
      : .4 > black
      : .5 > blue
      : .6 > green
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(0, \infty)$	$(-\infty, 4)$	$(-1, \infty)$	$(-9, \infty)$
.4	$(5, 0)$	$(2, 0), (6, 0)$	$(-7, 0), (-5, 0)$	$(-3, 0), (3, 0)$
.5	$(5, 0)$	$(4, 4)$	$(-6, -1)$	$(0, -9)$
.6	Minimum	Maximum	Minimum	Minimum
.7	$\min = 0$	$\max = 4$	$\min = -1$	$\min = -9$

$$Ans6 = \begin{bmatrix} .I = [P(x) = (500 - 0.3 x) x] \\ .2 = [833.33, 208333] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (4000 + 400 x) (110 - x)] \\ .2 = \{8400, 39600\} \\ .3 = [24000, 1440000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x (x + 7) \end{bmatrix} \\ .3 = 198 \\ .4 = 6 \\ .5 = \begin{bmatrix} AS = 49 \\ AR = 98 \end{bmatrix} \\ .6 = [f(x) = 7 x] \end{bmatrix}$$

[illegible]

.....

[illegible]

```
Ans1 : .1 > blue
      : .2 > red
      : .3 > gray
      : .4 > black
      : .5 > green
      : .6 > yellow
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-\infty, 1)$	$(-36, \infty)$	$(0, \infty)$	$(-36, \infty)$
.4	$(-2, 0), (0, 0)$	$(-8, 0), (4, 0)$	$(8, 0)$	$(-4, 0), (8, 0)$
.5	$(-1, 1)$	$(-2, -36)$	$(8, 0)$	$(2, -36)$
.6	Maximum	Minimum	Minimum	Minimum
.7	max = 1	min = -36	min = 0	min = -36

$$Ans6 = \begin{bmatrix} .I = [P(x) = (300 - 0.7x)x] \\ .2 = [214.29, 32143] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (4000 + 500x)(130 - x)] \\ .2 = \{10000, 59000\} \\ .3 = [34500, 2380500] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x(x + 6) \end{bmatrix} \\ .3 = 7 \\ .4 = 6 \\ .5 = \begin{bmatrix} AS = 169 \\ AR = 247 \end{bmatrix} \\ .6 = [f(x) = 6x] \end{bmatrix}$$

[illegible]

.....

[illegible]

```
Ans1 : .1 > gray
      : .2 > black
      : .3 > red
      : .4 > yellow
      : .5 > blue
      : .6 > green
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-9, \infty)$	$(-\infty, 16)$	$(-1, \infty)$	$(0, \infty)$
.4	$(1, 0), (7, 0)$	$(-2, 0), (6, 0)$	$(5, 0), (7, 0)$	$(6, 0)$
.5	$(4, -9)$	$(2, 16)$	$(6, -1)$	$(6, 0)$
.6	Minimum	Maximum	Minimum	Minimum
.7	min = -9	max = 16	min = -1	min = 0

$$Ans6 = \begin{bmatrix} .I = [P(x) = (300 - 0.5x)x] \\ .2 = [300.00, 45000] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (6000 + 600x)(80 - x)] \\ .2 = \{15000, 39000\} \\ .3 = [27000, 1215000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x(x + 10) \end{bmatrix} \\ .3 = 171 \\ .4 = 5 \\ .5 = \begin{bmatrix} AS = 64 \\ AR = 144 \end{bmatrix} \\ .6 = [f(x) = 10x] \end{bmatrix}$$

[illegible]

.....

.....

.....

[illegible]

```
Ans1 : .1 > red
      : .2 > gray
      : .3 > green
      : .4 > blue
      : .5 > black
      : .6 > yellow
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(0, \infty)$	$(-\infty, 16)$	$(-16, \infty)$	$(-\infty, 81)$
.4	$(6, 0)$	$(0, 0), (8, 0)$	$(-1, 0), (7, 0)$	$(-9, 0), (9, 0)$
.5	$(6, 0)$	$(4, 16)$	$(3, -16)$	$(0, 81)$
.6	Minimum	Maximum	Minimum	Maximum
.7	$\min = 0$	$\max = 16$	$\min = -16$	$\max = 81$

$$Ans6 = \begin{bmatrix} .I = [P(x) = (100 - 0.3x)x] \\ .2 = [166.67, 8333] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (3000 + 500x)(130 - x)] \\ .2 = \{13000, 55000\} \\ .3 = [34000, 2312000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x(x + 11) \end{bmatrix} \\ .3 = 210 \\ .4 = 7 \\ .5 = \begin{bmatrix} AS = 49 \\ AR = 126 \end{bmatrix} \\ .6 = [f(x) = 11x] \end{bmatrix}$$

[illegible]

.....

[illegible]

```
Ans1 : .1 > black
      : .2 > yellow
      : .3 > green
      : .4 > red
      : .5 > blue
      : .6 > gray
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-25, \infty)$	$(-\infty, 36)$	$(-\infty, 16)$	$(-\infty, 0)$
.4	$(-3, 0), (7, 0)$	$(-4, 0), (8, 0)$	$(-3, 0), (5, 0)$	$(-4, 0)$
.5	$(2, -25)$	$(2, 36)$	$(1, 16)$	$(-4, 0)$
.6	Minimum	Maximum	Maximum	Maximum
.7	min = -25	max = 36	max = 16	max = 0

$$Ans6 = \begin{bmatrix} .I = [P(x) = (200 - 0.2 x) x] \\ .2 = [500.00, 50000] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (4000 + 400 x) (100 - x)] \\ .2 = \{11600, 32400\} \\ .3 = [22000, 1210000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x (x + 3) \end{bmatrix} \\ .3 = 4 \\ .4 = 7 \\ .5 = \begin{bmatrix} AS = 9 \\ AR = 18 \end{bmatrix} \\ .6 = [f(x) = 3 x] \end{bmatrix}$$

[illegible]

.....

[illegible]

```
Ans1 : .1 > gray
      : .2 > red
      : .3 > black
      : .4 > yellow
      : .5 > green
      : .6 > blue
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-\infty, 0)$	$(-9, \infty)$	$(-\infty, 25)$	$(-\infty, 4)$
.4	$(-6, 0)$	$(0, 0), (6, 0)$	$(-3, 0), (7, 0)$	$(-2, 0), (2, 0)$
.5	$(-6, 0)$	$(3, -9)$	$(2, 25)$	$(0, 4)$
.6	Maximum	Minimum	Maximum	Maximum
.7	max = 0	min = -9	max = 25	max = 4

$$Ans6 = \begin{bmatrix} .I = [P(x) = (400 - 0.4 x) x] \\ .2 = [500.00, 100000] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (5000 + 500 x) (70 - x)] \\ .2 = \{14000, 26000\} \\ .3 = [20000, 800000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x (x + 6) \end{bmatrix} \\ .3 = 27 \\ .4 = 8 \\ .5 = \begin{bmatrix} AS = 36 \\ AR = 72 \end{bmatrix} \\ .6 = [f(x) = 6 x] \end{bmatrix}$$

[illegible]

.....

[illegible]

```
Ans1 : .1 > yellow
      : .2 > blue
      : .3 > green
      : .4 > gray
      : .5 > red
      : .6 > black
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-\infty, 16)$	$(-9, \infty)$	$(0, \infty)$	$(-\infty, 1)$
.4	$(-1, 0), (7, 0)$	$(0, 0), (6, 0)$	$(-2, 0)$	$(-6, 0), (-4, 0)$
.5	$(3, 16)$	$(3, -9)$	$(-2, 0)$	$(-5, 1)$
.6	Maximum	Minimum	Minimum	Maximum
.7	$\max = 16$	$\min = -9$	$\min = 0$	$\max = 1$

$$Ans6 = \begin{bmatrix} .I = [P(x) = (300 - 0.2 x) x] \\ .2 = [750.00, 112500] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (4000 + 200 x) (110 - x)] \\ .2 = \{7200, 18800\} \\ .3 = [13000, 845000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x (x + 3) \end{bmatrix} \\ .3 = 88 \\ .4 = 11 \\ .5 = \begin{bmatrix} AS = 100 \\ AR = 130 \end{bmatrix} \\ .6 = [f(x) = 3 x] \end{bmatrix}$$

[illegible]

.....

.....

[illegible]

```
Ans1 : .1 > red
      : .2 > blue
      : .3 > black
      : .4 > yellow
      : .5 > gray
      : .6 > green
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-\infty, 0)$	$(-\infty, 4)$	$(-\infty, 49)$	$(-4, \infty)$
.4	$(-3, 0)$	$(-4, 0), (0, 0)$	$(-7, 0), (7, 0)$	$(-3, 0), (1, 0)$
.5	$(-3, 0)$	$(-2, 4)$	$(0, 49)$	$(-1, -4)$
.6	Maximum	Maximum	Maximum	Minimum
.7	$\max = 0$	$\max = 4$	$\max = 49$	$\min = -4$

$$Ans6 = \begin{bmatrix} .I = [P(x) = (500 - 0.3x)x] \\ .2 = [833.33, 208333] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (6000 + 300x)(80 - x)] \\ .2 = \{12300, 17700\} \\ .3 = [15000, 750000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x(x + 6) \end{bmatrix} \\ .3 = 55 \\ .4 = 5 \\ .5 = \begin{bmatrix} AS = 9 \\ AR = 27 \end{bmatrix} \\ .6 = [f(x) = 6x] \end{bmatrix}$$

[illegible]

.....

.....

[illegible]

```
Ans1 : .1 > gray
      : .2 > green
      : .3 > black
      : .4 > red
      : .5 > yellow
      : .6 > blue
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-16, \infty)$	$(-\infty, 25)$	$(0, \infty)$	$(-\infty, 4)$
.4	$(-5, 0), (3, 0)$	$(-4, 0), (6, 0)$	$(-1, 0)$	$(-7, 0), (-3, 0)$
.5	$(-1, -16)$	$(1, 25)$	$(-1, 0)$	$(-5, 4)$
.6	Minimum	Maximum	Minimum	Maximum
.7	min = -16	max = 25	min = 0	max = 4

$$Ans6 = \begin{bmatrix} .1 = [P(x) = (200 - 0.7x)x] \\ .2 = [142.86, 14286] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .1 = [Income(x) = (6000 + 600x)(70 - x)] \\ .2 = \{14400, 33600\} \\ .3 = [24000, 960000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .1 = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x(x + 5) \end{bmatrix} \\ .3 = 50 \\ .4 = 9 \\ .5 = \begin{bmatrix} AS = 36 \\ AR = 66 \end{bmatrix} \\ .6 = [f(x) = 5x] \end{bmatrix}$$

[illegible]

.....

[illegible]

```
Ans1 : .1 > blue
      : .2 > red
      : .3 > gray
      : .4 > black
      : .5 > yellow
      : .6 > green
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-25, \infty)$	$(-\infty, 0)$	$(-\infty, 4)$	$(-49, \infty)$
.4	$(-3, 0), (7, 0)$	$(-2, 0)$	$(4, 0), (8, 0)$	$(-8, 0), (6, 0)$
.5	$(2, -25)$	$(-2, 0)$	$(6, 4)$	$(-1, -49)$
.6	Minimum	Maximum	Maximum	Minimum
.7	min = -25	max = 0	max = 4	min = -49

$$Ans6 = \begin{bmatrix} .I = [P(x) = (400 - 0.4 x) x] \\ .2 = [500.00, 100000] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (4000 + 200 x) (120 - x)] \\ .2 = \{7000, 21000\} \\ .3 = [14000, 980000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x (x + 4) \end{bmatrix} \\ .3 = 5 \\ .4 = 7 \\ .5 = \begin{bmatrix} AS = 16 \\ AR = 32 \end{bmatrix} \\ .6 = [f(x) = 4 x] \end{bmatrix}$$

[illegible]

.....

[illegible]

```
Ans1 : .1 > blue
      : .2 > yellow
      : .3 > green
      : .4 > black
      : .5 > gray
      : .6 > red
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-4, \infty)$	$(-\infty, 36)$	$(-4, \infty)$	$(0, \infty)$
.4	$(-7, 0), (-3, 0)$	$(-6, 0), (6, 0)$	$(3, 0), (7, 0)$	$(-2, 0)$
.5	$(-5, -4)$	$(0, 36)$	$(5, -4)$	$(-2, 0)$
.6	Minimum	Maximum	Minimum	Minimum
.7	min = -4	max = 36	min = -4	min = 0

$$Ans6 = \begin{bmatrix} .I = [P(x) = (400 - 0.4 x) x] \\ .2 = [500.00, 100000] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (6000 + 300 x) (110 - x)] \\ .2 = \{9900, 29100\} \\ .3 = [19500, 1267500] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x (x + 5) \end{bmatrix} \\ .3 = 6 \\ .4 = 11 \\ .5 = \begin{bmatrix} AS = 49 \\ AR = 84 \end{bmatrix} \\ .6 = [f(x) = 5 x] \end{bmatrix}$$

[illegible]

• • • • •

[illegible]

```
Ans1 : .1 > green
      : .2 > yellow
      : .3 > gray
      : .4 > black
      : .5 > red
      : .6 > blue
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-\infty, 4)$	$(-36, \infty)$	$(-1, \infty)$	$(0, \infty)$
.4	$(-7, 0), (-3, 0)$	$(-4, 0), (8, 0)$	$(3, 0), (5, 0)$	$(9, 0)$
.5	$(-5, 4)$	$(2, -36)$	$(4, -1)$	$(9, 0)$
.6	Maximum	Minimum	Minimum	Minimum
.7	max = 4	min = -36	min = -1	min = 0

$$Ans6 = \begin{bmatrix} .I = [P(x) = (200 - 0.7x)x] \\ .2 = [142.86, 14286] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .I = [Income(x) = (6000 + 600x)(110 - x)] \\ .2 = \{15600, 56400\} \\ .3 = [36000, 2160000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .I = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x(x + 9) \end{bmatrix} \\ .3 = 220 \\ .4 = 10 \\ .5 = \begin{bmatrix} AS = 81 \\ AR = 162 \end{bmatrix} \\ .6 = [f(x) = 9x] \end{bmatrix}$$

[illegible]

.....

.....

[illegible]

```
Ans1 : .1 > black
      : .2 > green
      : .3 > blue
      : .4 > red
      : .5 > gray
      : .6 > yellow
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-\infty, 0)$	$(-\infty, 36)$	$(-25, \infty)$	$(-1, \infty)$
.4	$(-4, 0)$	$(-8, 0), (4, 0)$	$(-7, 0), (3, 0)$	$(7, 0), (9, 0)$
.5	$(-4, 0)$	$(-2, 36)$	$(-2, -25)$	$(8, -1)$
.6	Maximum	Maximum	Minimum	Minimum
.7	max = 0	max = 36	min = -25	min = -1

$$Ans6 = \begin{bmatrix} .1 = [P(x) = (700 - 0.6x)x] \\ .2 = [583.33, 204167] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .1 = [Income(x) = (3000 + 300x)(90 - x)] \\ .2 = \{9000, 21000\} \\ .3 = [15000, 750000] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .1 = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x(x + 7) \end{bmatrix} \\ .3 = 18 \\ .4 = 13 \\ .5 = \begin{bmatrix} AS = 25 \\ AR = 60 \end{bmatrix} \\ .6 = [f(x) = 7x] \end{bmatrix}$$

[illegible]

.....

[illegible]

```
Ans1 : .1 > green
      : .2 > red
      : .3 > blue
      : .4 > black
      : .5 > yellow
      : .6 > gray
```

Ans	2	3	4	5
.2	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$	$(-\infty, \infty)$
.3	$(-4, \infty)$	$(-\infty, 4)$	$(0, \infty)$	$(-\infty, 36)$
.4	$(-7, 0), (-3, 0)$	$(-4, 0), (0, 0)$	$(-8, 0)$	$(-9, 0), (3, 0)$
.5	$(-5, -4)$	$(-2, 4)$	$(-8, 0)$	$(-3, 36)$
.6	Minimum	Maximum	Minimum	Maximum
.7	min = -4	max = 4	min = 0	max = 36

$$Ans6 = \begin{bmatrix} .1 = [P(x) = (200 - 0.5 x) x] \\ .2 = [200.00, 20000] \end{bmatrix}, \quad Ans7 = \begin{bmatrix} .1 = [Income(x) = (7000 + 500 x) (80 - x)] \\ .2 = \{17000, 30000\} \\ .3 = [23500, 1104500] \end{bmatrix}, \quad Ans8 = \begin{bmatrix} .1 = \begin{bmatrix} AreaS(x) = x^2 \\ AreaR = x (x + 2) \end{bmatrix} \\ .3 = 15 \\ .4 = 8 \\ .5 = \begin{bmatrix} AS = 100 \\ AR = 120 \end{bmatrix} \\ .6 = [f(x) = 2 x] \end{bmatrix}$$

[illegible]

.....

.....

[illegible]