

[illegible]

[illegible]

[illegible]

$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{3, 4, 5, 6, 9\} \\ B = \{3, 4, 9, 10\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{6, 7, 8, 11, 12\} \\ B = \{0, 1, 5, 8, 9, 10, 12\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20\} \\ A = \{2, 11, 13, 16\} \\ B = \{2, 10, 14, 16, 17, 18\} \\ C = \{3, 9, 12, 14, 16, 19, 20\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{2, 4, 5, 6, 7, 8\} \\ B = \{2, 4, 8, 9, 12\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = A \cap B & .2 = B' - A' & .3 = (A \cup B)' \\ .4 = C' & .5 = C \cup (A \cap B) & .6 = (A \cup C) \cap (B \cup C) \\ .7 = (C - A) \cup (C - B) & .8 = A' \cup B' & .9 = A' \cap (C - B)' \end{bmatrix}
\end{aligned}$$
$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{4, 12, 13\} \\ B = \{3, 4, 7, 9\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{6, 9, 11\} \\ B = \{2, 3, 5, 7, 12\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{3, 5, 6, 10, 13, 16\} \\ B = \{6, 8, 10, 14, 16\} \\ C = \{1, 2, 4, 6, 10, 13, 16\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{5, 8, 10, 13\} \\ B = \{4, 5, 12, 13, 14\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = A \cap B & .2 = A' - B & .3 = (A - B) \cup (B - A) \\ .4 = B \cup C & .5 = B \cup (A \cap C) & .6 = (A \cup B) \cap (B \cup C) \\ .7 = (C - A) \cap (C - B) & .8 = B' \cup C' & .9 = B' \cap (A - C)' \end{bmatrix}
\end{aligned}$$

$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{5, 6, 10\} \\ B = \{0, 1, 2, 3, 5\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{0, 6, 9, 13, 14\} \\ B = \{1, 3, 8, 9, 10, 12\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{4, 6, 7, 8, 9, 10, 14\} \\ B = \{10, 12, 14, 15\} \\ C = \{2, 6, 8, 10, 11, 12\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{2, 5, 6, 14\} \\ B = \{2, 6, 7, 9, 12, 14, 15\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = B' & .2 = B' - A & .3 = (A - B) \cup (B - A) \\ .4 = B \cup C & .5 = B \cup (A \cap C) & .6 = (A \cup B) \cap (B \cup C) \\ .7 = (A - B) \cap (A - C) & .8 = B' - A' & .9 = (C - B)' - A' \end{bmatrix}
\end{aligned}$$
$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{3, 5, 7, 8, 9, 12\} \\ B = \{6, 8, 11, 12, 13\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{5, 6, 7, 10, 12\} \\ B = \{4, 6, 11, 12\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20\} \\ A = \{3, 4, 5, 7, 9, 14\} \\ B = \{3, 4, 8, 17, 19\} \\ C = \{4, 11, 20\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17\} \\ A = \{6, 9, 16\} \\ B = \{5, 7, 8, 12, 13, 15\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = A \cup B & .2 = A' - B' & .3 = A' \cap B' \\ .4 = A' & .5 = A \cup (B \cap C) & .6 = (A \cup B) \cap (A \cup C) \\ .7 = (B - A) \cap (B - C) & .8 = A' - C' & .9 = (B - C)' - A' \end{bmatrix}
\end{aligned}$$

X Math@MUT XXMM4/2-6400101-00015XX
Set01 for No.12545

$$No0I = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{3, 4, 6, 7, 10\} \\ B = \{4, 5, 6, 8, 10, 13\} \end{bmatrix}$$

$$No02 = \left[\begin{array}{l} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{5, 10, 11\} \\ B = \{6, 7, 8, 10, 12\} \end{array} \right]$$

$$No03 = \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19\} \\ A = \{3, 4, 5, 13, 15\} \\ B = \{3, 4, 5, 6, 9, 17, 18\} \\ C = \{7, 12, 17\} \end{bmatrix}$$

$$No04 = \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17\} \\ A = \{8, 14, 16, 17\} \\ B = \{13, 16, 17\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = A \cap B & .2 = A - B' & .3 = (A \cap B)' \\ .4 = A \cup C & .5 = C \cup (A \cap B) & .6 = (A \cup C) \cap (B \cup C) \\ .7 = (B - A) \cap (B - C) & .8 = B' \cap C' & .9 = (A - B)' - C' \end{array} \right]$$

[illegible]

$$No0I = \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{6, 10, 13, 14, 15\} \\ B = \{5, 10, 11, 13, 15, 16\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{4, 6, 9, 11, 13, 15\} \\ B = \{4, 8, 14\} \end{bmatrix}$$

$$No03 = \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17\} \\ A = \{3, 4, 5, 6, 14, 15\} \\ B = \{4, 14, 16, 17\} \\ C = \{4, 5, 6, 7, 8, 9, 11\} \end{bmatrix}$$

$$No04 = \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17\} \\ A = \{5, 7, 8\} \\ B = \{5, 6, 9, 11, 12\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = B' & .2 = B' - A' & .3 = A' \cap B' \\ .4 = B \cup C & .5 = C \cup (A \cap B) & .6 = (A \cup C) \cap (B \cup C) \\ .7 = (C - A) \cup (C - B) & .8 = C' - B' & .9 = (B - A)' - C \end{array} \right]$$

$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{2, 3, 5, 10, 11\} \\ B = \{5, 6, 7, 8, 9, 11\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{11, 12, 14\} \\ B = \{3, 5, 6, 13, 15\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{13, 14, 15\} \\ B = \{2, 3, 4, 6, 10, 12, 14\} \\ C = \{4, 6, 7, 8, 12\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{3, 4, 11, 13\} \\ B = \{4, 6, 7\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = A \cap B & .2 = B' - A' & .3 = (A \cap B)' \\ .4 = A \cap C & .5 = C \cup (A \cap B) & .6 = (A \cup C) \cap (B \cup C) \\ .7 = (B - A) \cup (B - C) & .8 = A' - B' & .9 = A \cap (C - B)' \end{bmatrix}
\end{aligned}$$
$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{3, 5, 6\} \\ B = \{1, 4, 7, 9, 10, 11\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{1, 3, 4, 7, 10, 11, 12\} \\ B = \{1, 3, 4, 7, 12\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{0, 1, 2, 11, 15\} \\ B = \{0, 5, 8, 15\} \\ C = \{1, 3, 15\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{6, 8, 9, 11, 12\} \\ B = \{5, 7, 8, 9, 10, 12\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = A \cup B & .2 = A - B & .3 = (A - B) \cap (B - A) \\ .4 = A \cup B & .5 = B \cup (A \cap C) & .6 = (A \cup B) \cap (B \cup C) \\ .7 = (A - B) \cap (A - C) & .8 = C' - B' & .9 = (C - A)' - B \end{bmatrix}
\end{aligned}$$

$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{6, 11, 12\} \\ B = \{2, 6, 7, 9\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{2, 3, 8, 10\} \\ B = \{1, 3, 6, 8, 11\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{1, 2, 3, 4, 7, 9\} \\ B = \{1, 8, 9, 11\} \\ C = \{2, 6, 9\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{0, 2, 3, 5, 7, 8, 10\} \\ B = \{0, 6, 8, 10\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = A \cup B & .2 = B - A & .3 = A' \cup B' \\ .4 = A \cup C & .5 = B \cup (A \cap C) & .6 = (A \cup B) \cap (B \cup C) \\ .7 = (C - A) \cap (C - B) & .8 = A' \cup B' & .9 = (C - B)' - A' \end{bmatrix}
\end{aligned}$$
$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{3, 7, 10, 11\} \\ B = \{3, 4, 5, 8, 14\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{2, 8, 10, 13, 14, 15\} \\ B = \{8, 13, 14\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{0, 3, 11\} \\ B = \{1, 5, 7, 9, 12, 13, 14\} \\ C = \{4, 5, 9, 10, 12, 13\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10\} \\ A = \{0, 1, 4, 7\} \\ B = \{1, 3, 7\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = B' & .2 = A' - B' & .3 = (A - B) \cup (B - A) \\ .4 = B \cup C & .5 = B \cup (A \cap C) & .6 = (A \cup B) \cap (B \cup C) \\ .7 = (A - B) \cap (A - C) & .8 = A' \cap B' & .9 = (B - A)' - C' \end{bmatrix}
\end{aligned}$$

$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{4, 7, 13, 15\} \\ B = \{6, 7, 10, 11, 13, 15\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{0, 1, 11, 14\} \\ B = \{3, 4, 5, 6, 10, 12\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{2, 12, 16\} \\ B = \{2, 3, 5, 6, 11, 13, 16\} \\ C = \{1, 6, 11, 15\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10\} \\ A = \{1, 2, 3, 4, 6, 7, 8\} \\ B = \{0, 6, 9, 10\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = B' & .2 = B - A' & .3 = (A - B) \cap (B - A) \\ .4 = A \cap C & .5 = B \cap (A \cup C) & .6 = (A \cap B) \cup (B \cap C) \\ .7 = (B - A) \cap (B - C) & .8 = B' \cup C' & .9 = B' \cap (C - A)' \end{bmatrix}
\end{aligned}$$
$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{3, 4, 5\} \\ B = \{2, 7, 10, 12, 13, 14\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{5, 8, 11\} \\ B = \{3, 5, 6, 8, 9\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{3, 6, 8, 11, 14\} \\ B = \{5, 6, 8, 10\} \\ C = \{3, 10, 13\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{3, 4, 7, 8, 9\} \\ B = \{4, 6, 7, 8, 11, 12, 13\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = A \cap B & .2 = B' - A & .3 = (A - B) \cap (B - A) \\ .4 = A \cap C & .5 = A \cap (B \cup C) & .6 = (A \cap B) \cup (A \cap C) \\ .7 = (A - B) \cup (A - C) & .8 = C' - A' & .9 = C' \cap (B - A)' \end{bmatrix}
\end{aligned}$$

$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10\} \\ A = \{1, 4, 7, 8, 9, 10\} \\ B = \{1, 4, 7, 9\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{3, 6, 7, 12, 13\} \\ B = \{6, 9, 10, 11\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17\} \\ A = \{1, 4, 7, 8, 14, 15, 17\} \\ B = \{11, 12, 17\} \\ C = \{2, 5, 10, 11, 15\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{3, 9, 15\} \\ B = \{6, 7, 10, 13, 14\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = B' & .2 = B' - A & .3 = (A \cup B)' \\ .4 = C' & .5 = C \cap (A \cup B) & .6 = (A \cap C) \cup (B \cap C) \\ .7 = (C - A) \cap (C - B) & .8 = A' \cup C' & .9 = C' \cap (B - A)' \end{bmatrix}
\end{aligned}$$
$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{3, 5, 7\} \\ B = \{2, 7, 8, 10, 11\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{3, 4, 6, 7, 9, 11\} \\ B = \{2, 3, 5, 6, 11\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{0, 4, 5, 6, 9, 11, 15\} \\ B = \{3, 11, 15\} \\ C = \{1, 4, 5, 7, 9, 12\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{2, 4, 9, 11\} \\ B = \{1, 2, 5\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = B' & .2 = B' - A' & .3 = (A - B) \cup (B - A) \\ .4 = A \cap B & .5 = A \cap (B \cup C) & .6 = (A \cap B) \cup (A \cap C) \\ .7 = (A - B) \cup (A - C) & .8 = B' \cap C' & .9 = (B - C)' - A \end{bmatrix}
\end{aligned}$$

[illegible]

$$No0I = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{5, 9, 10, 11, 12, 13\} \\ B = \{2, 7, 8, 9, 10\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{3, 4, 5, 7, 8\} \\ B = \{2, 5, 6, 7\} \end{bmatrix}$$

$$No03 = \left[\begin{array}{l} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19\} \\ A = \{6, 8, 19\} \\ B = \{5, 7, 16, 18\} \\ C = \{3, 4, 7, 9, 14, 17, 19\} \end{array} \right]$$

$$No04 = \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17\} \\ A = \{6, 7, 12, 13, 15, 16\} \\ B = \{4, 9, 11, 12\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = A' & .2 = B' - A' & .3 = (A - B) \cup (B - A) \\ .4 = B \cup C & .5 = A \cap (B \cup C) & .6 = (A \cap B) \cup (A \cap C) \\ .7 = (B - A) \cup (B - C) & .8 = A' - C' & .9 = B \cap (C - A)' \end{array} \right]$$

[illegible]

$$NoOI = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{2, 4, 7, 10, 12, 13\} \\ B = \{6, 10, 12\} \end{bmatrix}$$

$$No02 = \left[\begin{array}{l} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{1, 2, 5, 6, 8, 9\} \\ B = \{6, 10, 11\} \end{array} \right]$$

$$No03 = \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{3, 6, 9, 10, 11, 12, 13\} \\ B = \{2, 9, 10, 12, 13, 14\} \\ C = \{1, 2, 11, 13\} \end{bmatrix}$$

$$No04 = \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{1, 2, 5, 11, 12\} \\ B = \{2, 3, 4, 5, 6, 11\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = A \cap B & .2 = A' - B' & .3 = (A \cup B)' \\ .4 = A' & .5 = A \cup (B \cap C) & .6 = (A \cup B) \cap (A \cup C) \\ .7 = (B - A) \cap (B - C) & .8 = C' - B' & .9 = (B - A)' - C \end{array} \right]$$

$$\begin{aligned}
No01 &= \left[\begin{array}{l} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{0, 3, 9\} \\ B = \{0, 1, 3, 6, 9, 10\} \end{array} \right] \\
No02 &= \left[\begin{array}{l} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{1, 5, 6, 9, 11\} \\ B = \{3, 7, 8, 10, 11, 12, 14\} \end{array} \right] \\
No03 &= \left[\begin{array}{l} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17\} \\ A = \{1, 16, 17\} \\ B = \{5, 6, 9, 12, 14, 17\} \\ C = \{3, 4, 5, 7, 10, 16, 17\} \end{array} \right] \\
No04 &= \left[\begin{array}{l} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{1, 3, 9\} \\ B = \{2, 3, 5, 8, 9, 11\} \end{array} \right] \\
No05 &= \left[\begin{array}{lll} .1 = A \cap B & .2 = A' - B' & .3 = (A - B) \cap (B - A) \\ .4 = B \cup C & .5 = C \cup (A \cap B) & .6 = (A \cup C) \cap (B \cup C) \\ .7 = (B - A) \cap (B - C) & .8 = B' \cup C' & .9 = A \cap (C - B)' \end{array} \right]
\end{aligned}$$
$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{4, 6, 8, 9\} \\ B = \{4, 7, 11\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{2, 4, 6, 8, 9\} \\ B = \{1, 4, 6, 7, 8, 11, 12\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{0, 1, 3, 4, 5, 9, 14\} \\ B = \{3, 9, 10, 12\} \\ C = \{4, 5, 6\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10\} \\ A = \{0, 4, 5, 6, 7, 10\} \\ B = \{0, 1, 2, 3, 4\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = A' & .2 = A' - B & .3 = (A \cap B)' \\ .4 = B \cup C & .5 = B \cup (A \cap C) & .6 = (A \cup B) \cap (B \cup C) \\ .7 = (A - B) \cup (A - C) & .8 = C' - A' & .9 = (A - B)' - C \end{bmatrix}
\end{aligned}$$

[illegible]

$$NoOI = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{5, 8, 11, 12\} \\ B = \{4, 5, 10, 11, 14\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{6, 8, 10\} \\ B = \{5, 7, 8, 9, 10, 11, 12\} \end{bmatrix}$$

$$No03 = \left[\begin{array}{l} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{2, 6, 12\} \\ B = \{5, 8, 11, 12, 13\} \\ C = \{3, 4, 9, 14\} \end{array} \right]$$

$$No04 = \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{5, 10, 11, 15\} \\ B = \{6, 7, 9, 12, 15\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = A \cap B & .2 = B - A & .3 = (A \cup B)' \\ .4 = A \cap C & .5 = C \cup (A \cap B) & .6 = (A \cup C) \cap (B \cup C) \\ .7 = (A - B) \cap (A - C) & .8 = A' \cap B' & .9 = (C - A)' - B \end{array} \right]$$

```
X Math@MUT XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXMM4/2-6400101-00036XX  
Set01 for No.644202
```

$$NoOI = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{4, 5, 6, 9, 14\} \\ B = \{2, 3, 6, 7, 10, 13\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{0, 3, 5, 6, 7, 9, 10\} \\ B = \{0, 4, 5, 7\} \end{bmatrix}$$

$$No03 = \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{1, 3, 5, 6, 7, 10, 16\} \\ B = \{0, 2, 4, 5, 14\} \\ C = \{8, 9, 11, 13\} \end{bmatrix}$$

$$No04 = \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{4, 8, 9, 11\} \\ B = \{2, 3, 7, 8, 9, 10, 13\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = B' & .2 = B - A & .3 = (A - B) \cap (B - A) \\ .4 = A \cap B & .5 = B \cap (A \cup C) & .6 = (A \cap B) \cup (B \cap C) \\ .7 = (B - A) \cap (B - C) & .8 = A' - B' & .9 = (C - B)' - A' \end{array} \right]$$

X Math@MUT XXMM4/2-6400101-00037XX
Set01 for No.644203

$$No0I = \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{5, 6, 9, 14\} \\ B = \{4, 5, 6, 8, 14\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{3, 6, 10, 11, 14, 15\} \\ B = \{3, 6, 10, 14, 15\} \end{bmatrix}$$

$$No03 = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{2, 7, 12\} \\ B = \{2, 5, 7, 10, 14, 16\} \\ C = \{2, 3, 4, 6, 7, 13, 16\} \end{bmatrix}$$

$$No04 = \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{3, 4, 9, 10, 11, 13, 14\} \\ B = \{5, 6, 7, 9, 11, 14\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = A \cap B & .2 = A - B & .3 = A' \cap B' \\ .4 = B \cup C & .5 = A \cup (B \cap C) & .6 = (A \cup B) \cap (A \cup C) \\ .7 = (A - B) \cap (A - C) & .8 = C' - A' & .9 = (B - A)' - C \end{array} \right]$$

[illegible]

$$No0I = \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{8, 9, 14\} \\ B = \{4, 6, 11, 12\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10\} \\ A = \{1, 6, 8, 9, 10\} \\ B = \{5, 6, 8, 9\} \end{bmatrix}$$

$$No03 = \left[\begin{array}{l} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19\} \\ A = \{5, 9, 15\} \\ B = \{4, 6, 12, 14, 15, 18\} \\ C = \{3, 4, 5, 9, 14, 16, 17\} \end{array} \right]$$

$$No04 = \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{3, 6, 7, 8, 9, 12, 16\} \\ B = \{4, 10, 13, 14, 16\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = A' & .2 = A' - B' & .3 = A' \cap B' \\ .4 = A \cap B & .5 = C \cup (A \cap B) & .6 = (A \cup C) \cap (B \cup C) \\ .7 = (B - A) \cap (B - C) & .8 = A' - B' & .9 = B' \cap (A - C)' \end{array} \right]$$

[illegible]

$$No0I = \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{2, 3, 4, 5, 10\} \\ B = \{1, 3, 7, 11\} \end{bmatrix}$$

$$No02 = \left[\begin{array}{l} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{1, 9, 10, 11\} \\ B = \{1, 2, 3, 4, 6, 9, 12\} \end{array} \right]$$

$$No03 = \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{5, 6, 16\} \\ B = \{1, 2, 5, 6, 10, 13, 15\} \\ C = \{1, 3, 10, 12, 13\} \end{bmatrix}$$

$$No04 = \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{2, 13, 14\} \\ B = \{1, 4, 13, 14, 15\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = B' & .2 = A - B & .3 = A' \cup B' \\ .4 = B \cup C & .5 = C \cup (A \cap B) & .6 = (A \cup C) \cap (B \cup C) \\ .7 = (B - A) \cup (B - C) & .8 = A' \cup B' & .9 = (B - C)' - A \end{array} \right]$$

```
X Math@MUT XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXMM4/2-6400101-00042XX  
Set01 for No.644208
```

$$No0I = \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{0, 1, 3, 6, 7, 11\} \\ B = \{2, 3, 4, 8, 11\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{6, 8, 9, 10, 13, 15, 16\} \\ B = \{4, 8, 9, 11, 14\} \end{bmatrix}$$

$$No03 = \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18\} \\ A = \{6, 17, 18\} \\ B = \{3, 13, 16, 18\} \\ C = \{3, 4, 6, 7, 9, 10, 14\} \end{bmatrix}$$

$$No04 = \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18\} \\ A = \{5, 14, 15, 17, 18\} \\ B = \{6, 13, 14, 17\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = A \cap B & .2 = A' - B' & .3 = (A \cup B)' \\ .4 = A \cap B & .5 = A \cup (B \cap C) & .6 = (A \cup B) \cap (A \cup C) \\ .7 = (C - A) \cup (C - B) & .8 = C' - A' & .9 = A' \cap (C - B)' \end{array} \right]$$

[illegible]

$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{3, 8, 9, 13\} \\ B = \{3, 7, 10\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17\} \\ A = \{3, 7, 8\} \\ B = \{3, 6, 14, 17\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18\} \\ A = \{2, 5, 6, 18\} \\ B = \{2, 4, 14\} \\ C = \{4, 5, 9, 11, 12, 16\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{3, 11, 12, 15\} \\ B = \{9, 11, 15\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = A \cap B & .2 = A' - B & .3 = A' \cap B' \\ .4 = B \cap C & .5 = A \cup (B \cap C) & .6 = (A \cup B) \cap (A \cup C) \\ .7 = (A - B) \cup (A - C) & .8 = A' \cup B' & .9 = (A - C)' - B \end{bmatrix}
\end{aligned}$$
$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{1, 3, 4, 6, 10, 13\} \\ B = \{1, 4, 9, 12\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{3, 5, 7, 11\} \\ B = \{1, 2, 3, 5, 7, 8, 9\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{0, 5, 7, 9, 11, 12, 16\} \\ B = \{1, 4, 6, 10\} \\ C = \{0, 2, 6, 7, 9, 12\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{4, 5, 6, 7, 11, 13, 14\} \\ B = \{3, 5, 12\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = A \cap B & .2 = B - A & .3 = (A - B) \cup (B - A) \\ .4 = B' & .5 = B \cup (A \cap C) & .6 = (A \cup B) \cap (B \cup C) \\ .7 = (A - B) \cup (A - C) & .8 = A' \cap B' & .9 = (A - B)' - C' \end{bmatrix}
\end{aligned}$$

$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{3, 6, 7, 9, 13\} \\ B = \{5, 8, 9, 11, 12, 14\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17\} \\ A = \{4, 5, 9, 11, 12, 13, 17\} \\ B = \{5, 8, 12, 13, 16\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{1, 5, 8, 9\} \\ B = \{0, 1, 7, 10, 11, 12, 13\} \\ C = \{1, 2, 9, 10, 11\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{3, 7, 9, 10, 11, 12, 13\} \\ B = \{5, 7, 11, 14\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = A \cap B & .2 = B' - A' & .3 = A' \cap B' \\ .4 = A \cup C & .5 = A \cap (B \cup C) & .6 = (A \cap B) \cup (A \cap C) \\ .7 = (B - A) \cup (B - C) & .8 = A' \cup B' & .9 = (B - A)' - C \end{bmatrix}
\end{aligned}$$
$$\begin{aligned}
No01 &= \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{5, 7, 9, 13\} \\ B = \{5, 7, 8, 10, 12\} \end{bmatrix} \\
No02 &= \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{3, 7, 10, 14, 15, 16\} \\ B = \{7, 11, 12, 14\} \end{bmatrix} \\
No03 &= \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17\} \\ A = \{5, 7, 9, 12, 13, 16\} \\ B = \{3, 9, 13, 14\} \\ C = \{3, 7, 9, 14, 17\} \end{bmatrix} \\
No04 &= \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{4, 10, 14, 15\} \\ B = \{2, 3, 4, 11, 12, 13, 16\} \end{bmatrix} \\
No05 &= \begin{bmatrix} .1 = B' & .2 = A - B' & .3 = A' \cap B' \\ .4 = B' & .5 = A \cup (B \cap C) & .6 = (A \cup B) \cap (A \cup C) \\ .7 = (B - A) \cup (B - C) & .8 = A' \cap B' & .9 = (A - B)' - C \end{bmatrix}
\end{aligned}$$

$$\vdots$$

⋮

⋮

[illegible]

$$NoOI = \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{4, 6, 9, 12, 15\} \\ B = \{8, 9, 10, 11, 12, 15\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{2, 3, 7, 11, 12\} \\ B = \{4, 7, 11, 12\} \end{bmatrix}$$

$$No03 = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{4, 7, 8, 9, 10, 16\} \\ B = \{8, 9, 10, 13, 15\} \\ C = \{3, 4, 7, 11\} \end{bmatrix}$$

$$No04 = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{2, 3, 4, 5, 13, 14\} \\ B = \{3, 4, 8, 13, 14\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = B' & .2 = A - B & .3 = (A \cap B)' \\ .4 = A \cup B & .5 = A \cup (B \cap C) & .6 = (A \cup B) \cap (A \cup C) \\ .7 = (B - A) \cup (B - C) & .8 = B' - C' & .9 = (B - A)' - C \end{array} \right]$$

```
X Math@MUT XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXMM4/2-6400101-00060XX  
Set01 for No.644226
```

$$No0I = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{2, 3, 4, 5, 11, 12\} \\ B = \{3, 12, 13\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{2, 3, 8, 9, 10, 12\} \\ B = \{2, 8, 10, 11, 12\} \end{bmatrix}$$

$$No03 = \left[\begin{array}{l} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17\} \\ A = \{2, 5, 10, 12, 13\} \\ B = \{3, 5, 7, 8, 11, 12, 14\} \\ C = \{1, 4, 11, 14\} \end{array} \right]$$

$$No04 = \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{1, 3, 4, 5, 6, 7, 11\} \\ B = \{2, 4, 5, 6, 9, 11\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = A' & .2 = A' - B' & .3 = (A - B) \cap (B - A) \\ .4 = A \cap C & .5 = A \cap (B \cup C) & .6 = (A \cap B) \cup (A \cap C) \\ .7 = (B - A) \cup (B - C) & .8 = A' \cup B' & .9 = (C - A)' - B' \end{array} \right]$$

[illegible]

$$No0I = \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{5, 12, 13, 14\} \\ B = \{4, 6, 7, 10, 14\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{3, 5, 7\} \\ B = \{0, 2, 3, 7, 8, 9, 11\} \end{bmatrix}$$

$$No03 = \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{2, 9, 14\} \\ B = \{2, 3, 5, 12, 13, 14\} \\ C = \{1, 3, 4, 7, 12, 14, 16\} \end{bmatrix}$$

$$No04 = \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{1, 4, 8, 11, 13\} \\ B = \{2, 5, 6, 7, 8, 10, 13\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = A \cap B & .2 = A' - B' & .3 = (A - B) \cup (B - A) \\ .4 = A' & .5 = C \cup (A \cap B) & .6 = (A \cup C) \cap (B \cup C) \\ .7 = (C - A) \cup (C - B) & .8 = A' - C' & .9 = (B - A)' - C' \end{array} \right]$$

[illegible]

$$No0I = \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{7, 9, 15\} \\ B = \{4, 6, 7, 9\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{2, 3, 4, 9, 11\} \\ B = \{2, 6, 8, 10, 13, 15\} \end{bmatrix}$$

$$No03 = \left[\begin{array}{l} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17\} \\ A = \{7, 12, 14, 15, 17\} \\ B = \{6, 8, 9, 11, 12, 14, 17\} \\ C = \{12, 13, 14, 16\} \end{array} \right]$$

$$No04 = \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{10, 11, 12, 13, 14\} \\ B = \{7, 9, 12\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = A \cup B & .2 = B - A' & .3 = (A \cup B)' \\ .4 = B' & .5 = A \cap (B \cup C) & .6 = (A \cap B) \cup (A \cap C) \\ .7 = (A - B) \cap (A - C) & .8 = B' - A' & .9 = (A - B)' - C' \end{array} \right]$$

[illegible]

X Math@MUT XXMM4/2-6400101-00063XX
Set01 for No.644229

$$No0I = \begin{bmatrix} U = \{1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11\} \\ A = \{1, 3, 4\} \\ B = \{2, 3, 4, 6, 7, 9\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12\} \\ A = \{2, 3, 4, 6, 7, 12\} \\ B = \{2, 5, 6, 9, 11\} \end{bmatrix}$$

$$No03 = \left[\begin{array}{l} U = \{2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15\} \\ A = \{2, 8, 15\} \\ B = \{2, 6, 9, 11, 12, 14\} \\ C = \{2, 5, 6, 7, 14\} \end{array} \right]$$

$$No04 = \left[\begin{array}{l} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13\} \\ A = \{5, 6, 13\} \\ B = \{3, 4, 5, 6, 7, 12, 13\} \end{array} \right]$$

$$No05 = \left[\begin{array}{ccc} .1 = B' & .2 = A - B' & .3 = (A \cap B)' \\ .4 = B \cup C & .5 = C \cap (A \cup B) & .6 = (A \cap C) \cup (B \cap C) \\ .7 = (A - B) \cup (A - C) & .8 = A' - B' & .9 = (C - A)' - B \end{array} \right]$$

[illegible]

$$No0I = \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{4, 6, 8, 10\} \\ B = \{6, 9, 11\} \end{bmatrix}$$

$$No02 = \begin{bmatrix} U = \{3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14\} \\ A = \{5, 9, 12, 13, 14\} \\ B = \{3, 8, 9, 11\} \end{bmatrix}$$

$$No03 = \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18\} \\ A = \{7, 12, 14\} \\ B = \{4, 6, 9, 11, 14, 15, 16\} \\ C = \{5, 7, 8, 11, 16, 17\} \end{bmatrix}$$

$$No04 = \begin{bmatrix} U = \{4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16\} \\ A = \{8, 9, 10, 11, 13, 14, 15\} \\ B = \{8, 10, 12\} \end{bmatrix}$$

$$No05 = \left[\begin{array}{ccc} .1 = A' & .2 = B' - A' & .3 = (A - B) \cap (B - A) \\ .4 = B' & .5 = A \cup (B \cap C) & .6 = (A \cup B) \cap (A \cup C) \\ .7 = (B - A) \cap (B - C) & .8 = A' \cup C' & .9 = B \cap (A - C)' \end{array} \right]$$

[illegible]

[illegible]